

Bibliography of Nikolaus Pfanner

A. Original Papers

- O-1 Pfanner N, Neupert W (1985) Transport of proteins into mitochondria: a potassium diffusion potential is able to drive the import of ADP/ATP carrier. **EMBO J.** 4, 2819-2825.
- O-2 Pfanner N, Neupert W (1986) Transport of F₁-ATPase subunit β into mitochondria depends on both a membrane potential and nucleoside triphosphates. **FEBS Lett.** 209, 152-156.
- O-3 Pfanner N, Neupert W (1987) Distinct steps in the import of ADP/ATP carrier into mitochondria. **J. Biol. Chem.** 262, 7528-7536.
- O-4 Pfanner N, Tropschug M, Neupert W (1987) Mitochondrial protein import: nucleoside triphosphates are involved in conferring import-competence to precursors. **Cell** 49, 815-823.
- O-5 Kleene R, Pfanner N, Pfaller R, Link T, Sebald W, Neupert W, Tropschug M (1987) Mitochondrial porin of *Neurospora crassa*: cDNA cloning, in vitro expression and import into mitochondria. **EMBO J.** 6, 2627-2633.
- O-6 Pfanner N, Hartl FU, Guiard B, Neupert W (1987) Mitochondrial precursor proteins are imported through a hydrophilic membrane environment. **Eur. J. Biochem.** 169, 289-293.
- O-7 Pfanner N, Hoeben P, Tropschug M, Neupert W (1987) The carboxyl-terminal two thirds of the ADP/ATP carrier polypeptide contains sufficient information to direct translocation into mitochondria. **J. Biol. Chem.** 262, 14851-14854.
- O-8 Pfanner N, Müller H, Harmey MA, Neupert W (1987) Mitochondrial protein import: involvement of the mature part of a cleavable precursor protein in the binding to receptor sites. **EMBO J.** 6, 3449-3454.
- O-9 Pfanner N, Pfaller R, Kleene R, Ito M, Tropschug M, Neupert W (1988) Role of ATP in mitochondrial protein import: conformational alteration of a precursor protein can substitute for ATP requirement. **J. Biol. Chem.** 263, 4049-4051.
- O-10 Söllner T, Pfanner N, Neupert W (1988) Mitochondrial protein import: differential recognition of various transport intermediates by antibodies. **FEBS Lett.** 229, 25-29.
- O-11 Tropschug M, Nicholson DW, Hartl FU, Köhler H, Pfanner N, Wachter E, Neupert W (1988) Cyclosporin A-binding protein (cyclophilin) of *Neurospora crassa*: one gene codes for both the cytosolic and mitochondrial forms. **J. Biol. Chem.** 263, 14433-14440.
- O-12 Pfaller R, Steger HF, Rassow J, Pfanner N, Neupert W (1988) Import pathways of precursor proteins into mitochondria: multiple receptor sites are followed by a common membrane insertion site. **J. Cell Biol.** 107, 2483-2490.
- O-13 Pfaller R, Pfanner N, Neupert W (1989) Mitochondrial protein import: bypass of proteinaceous surface receptors can occur with low specificity and efficiency. **J. Biol. Chem.** 264, 34-39.
- O-14 Pfanner N, Orci L, Glick BS, Amherdt M, Arden SR, Malhotra V, Rothman JE (1989) Fatty acyl-coenzyme A is required for budding of transport vesicles from Golgi cisternae. **Cell** 59, 95-102.
- O-15 Söllner T, Griffiths G, Pfaller R, Pfanner N, Neupert W (1989) MOM19, an import receptor for mitochondrial precursor proteins. **Cell** 59, 1061-1070.

- O-16 Pfanner N, Glick BS, Arden SR, Rothman JE (1990) Fatty acylation promotes fusion of transport vesicles with Golgi cisternae. **J. Cell Biol.** 110, 955-961.
- O-17 Mahlke K, Pfanner N*, Martin J, Horwich AL, Hartl FU, Neupert W (1990) Sorting pathways of mitochondrial inner membrane proteins. **Eur. J. Biochem.** 192, 551-555.
**corresponding*
- O-18 Söllner T, Pfaller R, Griffiths G, Pfanner N, Neupert W (1990) A mitochondrial import receptor for the ADP/ATP carrier. **Cell** 62, 107-115.
- O-19 Pfanner N, Rassow J, Guiard B, Söllner T, Hartl FU, Neupert W (1990) Energy requirements for unfolding and membrane translocation of precursor proteins during import into mitochondria. **J. Biol. Chem.** 265, 16324-16329.
- O-20 Steger HF, Söllner T, Kiebler M, Dietmeier KA, Pfaller R, Trülzsch KS, Tropschug M, Neupert W, Pfanner N (1990) Import of ADP/ATP carrier into mitochondria: two receptors act in parallel. **J. Cell Biol.** 111, 2353-2363.
- O-21 Kang PJ, Ostermann J, Shilling J, Neupert W, Craig EA, Pfanner N (1990) Requirement for hsp70 in the mitochondrial matrix for translocation and folding of precursor proteins. **Nature** 348, 137-143.
- O-22 Rassow J, Hartl FU, Guiard B, Pfanner N, Neupert W (1990) Polypeptides traverse the mitochondrial envelope in an extended state. **FEBS Lett.** 275, 190-194.
- O-23 Kiebler M, Pfaller R, Söllner T, Griffiths G, Horstmann H, Pfanner N, Neupert W (1990) Identification of a mitochondrial receptor complex required for recognition and membrane insertion of precursor proteins. **Nature** 348, 610-616.
- O-24 Ostermann J, Voos W, Kang PJ, Craig EA, Neupert W, Pfanner N (1990) Precursor proteins in transit through mitochondrial contact sites interact with hsp70 in the matrix. **FEBS Lett.** 277, 281-284.
- O-25 Zara V, Rassow J, Wachter E, Tropschug M, Palmieri F, Neupert W, Pfanner N (1991) Biogenesis of the mitochondrial phosphate carrier. **Eur. J. Biochem.** 198, 405-410.
- O-26 Wienhues U, Becker K, Schleyer M, Guiard B, Tropschug M, Horwich AL, Pfanner N, Neupert W (1991) Protein folding causes an arrest of preprotein translocation into mitochondria in vivo. **J. Cell Biol.** 115, 1601-1609.
- O-27 Martin J, Mahlke K, Pfanner N (1991) Role of an energized inner membrane in mitochondrial protein import: $\Delta\Psi$ drives the movement of presequences. **J. Biol. Chem.** 266, 18051-18057.
- O-28 Rassow J, Pfanner N (1991) Mitochondrial preproteins en route from the outer membrane to the inner membrane are exposed to the intermembrane space. **FEBS Lett.** 293, 85-88.
- O-29 Schneider H, Söllner T, Dietmeier K, Eckerskorn C, Lottspeich F, Trülzsch B, Neupert W, Pfanner N (1991) Targeting of the master receptor MOM19 to mitochondria. **Science** 254, 1659-1662.
- O-30 Söllner T, Rassow J, Wiedmann M, Schloßmann J, Keil P, Neupert W, Pfanner N (1992) Mapping of the protein import machinery in the mitochondrial outer membrane by crosslinking of translocation intermediates. **Nature** 355, 84-87.
- O-31 Becker K, Guiard B, Rassow J, Söllner T, Pfanner N (1992) Targeting of a chemically pure preprotein to mitochondria does not require the addition of a cytosolic signal recognition factor. **J. Biol. Chem.** 267, 5637-5643.

- O-32 Zara V, Palmieri F, Mahlke K, Pfanner N (1992) The cleavable presequence is not essential for import and assembly of the phosphate carrier of mammalian mitochondria, but enhances the specificity and efficiency of import. **J. Biol. Chem.** 267, 12077-12081.
- O-33 Moczko M, Dietmeier K, Söllner T, Segui B, Steger HF, Neupert W, Pfanner N (1992) Identification of the mitochondrial receptor complex in *Saccharomyces cerevisiae*. **FEBS Lett.** 310, 265-268.
- O-34 Kiebler M, Keil P, Schneider H, van der Klei IJ, Pfanner N, Neupert W (1993) The mitochondrial receptor complex: a central role of MOM22 in mediating preprotein transfer from receptors to the general insertion pore. **Cell** 74, 483-492.
- O-35 Keil P, Pfanner N (1993) Insertion of MOM22 into the mitochondrial outer membrane strictly depends on surface receptors. **FEBS Lett.** 321, 197-200.
- O-36 Gambill BD, Voos W, Kang PJ, Miao B, Langer T, Craig EA, Pfanner N (1993) A dual role for mitochondrial heat shock protein 70 in membrane translocation of preproteins. **J. Cell Biol.** 123, 109-117.
- O-37 Voos W, Gambill BD, Guiard B, Pfanner N*, Craig EA (1993) Presequence and mature part of preproteins strongly influence the dependence of mitochondrial protein import on heat shock protein 70 in the matrix. **J. Cell Biol.** 123, 119-126. **corresponding*
- O-38 Moczko M, Gärtner F, Pfanner N (1993) The protein import receptor MOM19 of yeast mitochondria. **FEBS Lett.** 326, 251-254.
- O-39 Keil P, Weinzierl A, Kiebler M, Dietmeier K, Söllner T, Pfanner N (1993) Biogenesis of the mitochondrial receptor complex: two receptors are required for binding of MOM38 to the outer membrane surface. **J. Biol. Chem.** 268, 19177-19180.
- O-40 Dietmeier K, Zara V, Palmisano A, Palmieri F, Voos W, Schloßmann J, Moczko M, Kispal G, Pfanner N (1993) Targeting and translocation of the phosphate carrier/p32 to the inner membrane of yeast mitochondria. **J. Biol. Chem.** 268, 25958-25964.
- O-41 Dekker PJT, Keil P, Rassow J, Maarse AC, Pfanner N*, Meijer M (1993) Identification of MIM23, a putative component of the protein import machinery of the mitochondrial inner membrane. **FEBS Lett.** 330, 66-70. **corresponding*
- O-42 Blom J, Kübrich M, Rassow J, Voos W, Dekker PJT, Maarse AC, Meijer M, Pfanner N (1993) The essential yeast protein MIM44 (encoded by *MPI1*) is involved in an early step of preprotein translocation across the mitochondrial inner membrane. **Mol. Cell. Biol.** 13, 7364-7371.
- O-43 Moczko M, Ehmann B, Gärtner F, Hönlinger A, Schäfer E, Pfanner N (1994) Deletion of the receptor MOM19 strongly impairs import of cleavable preproteins into *Saccharomyces cerevisiae* mitochondria. **J. Biol. Chem.** 269, 9045-9051.
- O-44 Schlossmann J, Dietmeier K, Pfanner N, Neupert W (1994) Specific recognition of mitochondrial preproteins by the cytosolic domain of the import receptor MOM72. **J. Biol. Chem.** 269, 11893-11901.
- O-45 Brink S, Flügge UI, Chaumont F, Boutry M, Emmermann M, Schmitz U, Becker K, Pfanner N (1994) Preproteins of chloroplast envelope inner membrane contain targeting information for receptor-dependent import into fungal mitochondria. **J. Biol. Chem.** 269, 16478-16485.
- O-46 Maarse AC, Blom J, Keil P, Pfanner N*, Meijer M (1994) Identification of the essential yeast protein MIM17, an integral mitochondrial inner membrane protein involved in protein import. **FEBS Lett.** 349, 215-221. **corresponding*

- O-47 Kübrich M, Keil P, Rassow J, Dekker PJT, Blom J, Meijer M, Pfanner N (1994) The polytopic mitochondrial inner membrane proteins MIM17 and MIM23 operate at the same preprotein import site. **FEBS Lett.** 349, 222-228.
- O-48 Voos W, Gambill BD, Laloraya S, Ang D, Craig EA, Pfanner N (1994) Mitochondrial GrpE is present in a complex with hsp70 and preproteins in transit across membranes. **Mol. Cell. Biol.** 14, 6627-6634.
- O-49 Rassow J, Maarse AC, Krainer E, Kübrich M, Müller H, Meijer M, Craig EA, Pfanner N (1994) Mitochondrial protein import: biochemical and genetic evidence for interaction of matrix hsp70 and the inner membrane protein MIM44. **J. Cell Biol.** 127, 1547-1556.
- O-50 Gärtner F, Voos W, Querol A, Miller BR, Craig EA, Cumsy MG, Pfanner N (1995) Mitochondrial import of subunit Va of cytochrome c oxidase characterized with yeast mutants: independence from receptors, but requirement for matrix hsp70 translocase function. **J. Biol. Chem.** 270, 3788-3795.
- O-51 Hönlinger A, Kübrich M, Moczko M, Gärtner F, Mallet L, Bussereau F, Eckerskorn C, Lottspeich F, Dietmeier K, Jacquet M, Pfanner N (1995) The mitochondrial receptor complex: Mom22 is essential for cell viability and directly interacts with preproteins. **Mol. Cell. Biol.** 15, 3382-3389.
- O-52 Rassow J, Mohrs K, Koidl S, Barthelmess IB, Pfanner N, Tropschug M (1995) Cyclophilin 20 is involved in mitochondrial protein folding in cooperation with molecular chaperones Hsp70 and Hsp60. **Mol. Cell. Biol.** 15, 2654-2662.
- O-53 Hönlinger A, Keil P, Nelson RJ, Craig EA, Pfanner N (1995) Posttranslational mitochondrial protein import in a homologous yeast *in vitro* system. **Biol. Chem.** 376, 515-519.
- O-54 Alconada A, Kübrich M, Moczko M, Hönlinger A, Pfanner N (1995) The mitochondrial receptor complex: the small subunit Mom8b/Isp6 supports association of receptors with the general insertion pore and transfer of preproteins. **Mol. Cell. Biol.** 15, 6196-6205.
- O-55 Moczko M, Schönfish B, Voos W, Pfanner N, Rassow J (1995) The mitochondrial ClpB homolog Hsp78 cooperates with matrix Hsp70 in maintenance of mitochondrial function. **J. Mol. Biol.** 254, 538-543.
- O-56 Gärtner F, Bömer U, Guiard B, Pfanner N (1995) The sorting signal of cytochrome *b*₂ promotes early divergence from the general mitochondrial import pathway and restricts the unfoldase activity of matrix Hsp70. **EMBO J.** 14, 6043-6057.
- O-57 Laloraya S, Dekker PJT, Voos W, Craig EA, Pfanner N (1995) Mitochondrial GrpE modulates the function of matrix Hsp70 in translocation and maturation of preproteins. **Mol. Cell. Biol.** 15, 7098-7105.
- O-58 von Ahsen O, Voos W, Henninger H, Pfanner N (1995) The mitochondrial protein import machinery: role of ATP in dissociation of the Hsp70-Mim44 complex. **J. Biol. Chem.** 270, 29848-29853.
- O-59 Seki N, Moczko M, Nagase T, Zufall N, Ehmann B, Dietmeier K, Schäfer E, Nomura N, Pfanner N (1995) A human homolog of the mitochondrial protein import receptor Mom19 can assemble with the yeast mitochondrial receptor complex. **FEBS Lett.** 375, 307-310.
- O-60 Voos W, von Ahsen O, Müller H, Guiard B, Rassow J, Pfanner N (1996) Differential requirement for the mitochondrial Hsp70-Tim44 complex in unfolding and translocation of preproteins. **EMBO J.** 15, 2668-2677.

- O-61 Hönlinger A, Bömer U, Alconada A, Eckerskorn C, Lottspeich F, Dietmeier K, Pfanner N (1996) Tom7 modulates the dynamics of the mitochondrial outer membrane translocase and plays a pathway-related role in protein import. **EMBO J.** 15, 2125-2137.
- O-62 Bömer U, Pfanner N*, Dietmeier K (1996) Identification of a third yeast mitochondrial Tom protein with tetratricopeptide repeats. **FEBS Lett.** 382, 153-158. **corresponding*
- O-63 Zara V, Dietmeier K, Palmisano A, Voza A, Rassow J, Palmieri F, Pfanner N (1996) Yeast mitochondria lacking the phosphate carrier/p32 are blocked in phosphate transport but can import preproteins after regeneration of a membrane potential. **Mol. Cell. Biol.** 16, 6524-6531.
- O-64 Dekker PJT, Müller H, Rassow J, Pfanner N (1996) Characterization of the preprotein translocase of the outer mitochondrial membrane by blue native electrophoresis. **Biol. Chem.** 377, 535-538.
- O-65 Bömer U, Rassow J, Zufall N, Pfanner N*, Meijer M, Maarse AC (1996) The preprotein translocase of the inner mitochondrial membrane: evolutionary conservation of targeting and assembly of Tim17. **J. Mol. Biol.** 262, 389-395. **corresponding*
- O-66 Bömer U, Meijer M, Maarse AC, Hönlinger A, Dekker PJT, Pfanner N*, Rassow J (1997) Multiple interactions of components mediating preprotein translocation across the inner mitochondrial membrane. **EMBO J.** 16, 2205-2216. **corresponding*
- O-67 Haucke V, Ocana CS, Hönlinger A, Tokatlidis K, Pfanner N, Schatz G (1997) Analysis of the sorting signals directing NADH-cytochrome *b₅* reductase to two locations within yeast mitochondria. **Mol. Cell. Biol.** 17, 4024-4032.
- O-68 Dekker PJT, Pfanner N (1997) Role of mitochondrial GrpE and phosphate in the ATPase cycle of matrix Hsp70. **J. Mol. Biol.** 270, 321-327.
- O-69 Dietmeier K, Hönlinger A, Bömer U, Dekker PJT, Eckerskorn C, Lottspeich F, Kübrich M, Pfanner N (1997) Tom5 functionally links mitochondrial preprotein receptors to the general import pore. **Nature** 388, 195-200.
- Accompanied by News & Views: Schatz G (1997) Just follow the acid chain. Nature 388, 121-122.*
- O-70 von Ahsen O, Tropschug M, Pfanner N, Rassow J (1997) The chaperonin cycle cannot substitute for prolyl isomerase activity, but GroEL alone promotes productive folding of a cyclophilin-sensitive substrate to a cyclophilin-resistant form. **EMBO J.** 16, 4568-4578.
- O-71 Dekker PJT, Martin F, Maarse AC, Bömer U, Müller H, Guiard B, Meijer M, Rassow J, Pfanner N (1997) The Tim core complex defines the number of mitochondrial translocation contact sites and can hold arrested preproteins in the absence of matrix Hsp70-Tim44. **EMBO J.** 16, 5408-5419.
- O-72 Brix J, Dietmeier K, Pfanner N (1997). Differential recognition of preproteins by the purified cytosolic domains of the mitochondrial import receptors Tom20, Tom22 and Tom70. **J. Biol. Chem.** 272, 20730-20735.
- O-73 Moczko M, Bömer U, Kübrich M, Zufall N, Hönlinger A, Pfanner N (1997) The intermembrane space domain of mitochondrial Tom22 functions as a *trans* binding site for preproteins with N-terminal targeting sequences. **Mol. Cell. Biol.** 17, 6574-6584.
- O-74 Merlin A, von Ahsen O, Craig EA, Dietmeier K, Pfanner N (1997) A mutant form of mitochondrial GrpE suppresses the sorting defect caused by an alteration in the presequence of cytochrome *b₂*. **J. Mol. Biol.** 273, 1-6.

- O-75 Bömer U, Meijer M, Guiard B, Dietmeier K, Pfanner N, Rassow J (1997) The sorting route of cytochrome *b₂* branches from the general mitochondrial import pathway at the preprotein translocase of the inner membrane. **J. Biol. Chem.** 272, 30439-30446.
- O-76 Palmisano A, Zara V, Hönlanger A, Voza A, Dekker PJT, Pfanner N, Palmieri F (1998) Targeting and assembly of the oxoglutarate carrier: general principles for biogenesis of carrier proteins of the mitochondrial inner membrane. **Biochem. J.** 333, 151-158.
- O-77 Kübrich M, Rassow J, Voos W, Pfanner N*, Hönlanger A (1998) The import route of ADP/ATP carrier into mitochondria separates from the general import pathway of cleavable preproteins at the *trans* side of the outer membrane. **J. Biol. Chem.** 273, 16374-16381. **corresponding*
- O-78 Dekker PJT, Ryan MT, Brix J, Müller H, Hönlanger A, Pfanner N (1998). Preprotein translocase of the outer mitochondrial membrane: molecular dissection and assembly of the general import pore complex. **Mol. Cell. Biol.** 18, 6515-6524.
- O-79 Martin H, Eckerskorn C, Gärtner F, Rassow J, Lottspeich F, Pfanner N (1998) The yeast mitochondrial intermembrane space: purification and analysis of two distinct fractions. **Anal. Biochem.** 265, 123-128.
- O-80 Hill K, Model K, Ryan MT, Dietmeier K, Martin F, Wagner R, Pfanner N (1998) Tom40 forms the hydrophilic channel of the mitochondrial import pore for preproteins. **Nature** 395, 516-521.
- Accompanied by News & Views: Schatz G (1998) Protein transport: the doors to organelles. Nature 395, 439-440.*
- O-81 Bömer U, Maarse AC, Martin F, Geissler A, Merlin A, Schönfisch B, Meijer M, Pfanner N*, Rassow J (1998) Separation of structural and dynamic functions of the mitochondrial translocase: Tim44 is crucial for the inner membrane import sites in translocation of tightly folded domains, but not of loosely folded preproteins. **EMBO J.** 17, 4226-4237. **corresponding*
- O-82 Merlin A, Voos W, Maarse AC, Meijer M, Pfanner N*, Rassow J (1999) The J-related segment of Tim44 is essential for cell viability: a mutant Tim44 remains in the mitochondrial import site, but inefficiently recruits mtHsp70 and impairs protein translocation. **J. Cell Biol.** 145, 961-972. **corresponding*
- O-83 Kurz M, Martin H, Rassow J, Pfanner N*, Ryan MT (1999) Biogenesis of Tim proteins of the mitochondrial carrier import pathway: differential targeting mechanisms and crossing over with the main import pathway. **Mol. Biol. Cell** 10, 2461-2474. **corresponding*
- O-84 Brix J, Rüdiger S, Bukau B, Schneider-Mergener J, Pfanner N (1999) Distribution of binding sequences for the mitochondrial import receptors Tom20, Tom22, and Tom70 in a presequence-carrying preprotein and a non-cleavable preprotein. **J. Biol. Chem.** 274, 16522-16530.
- O-85 Ryan MT, Müller H, Pfanner N (1999) Functional staging of ADP/ATP carrier translocation across the outer mitochondrial membrane. **J. Biol. Chem.** 274, 20619-20627.

- O-86 Voisine C, Craig EA*, Zufall N, von Ahsen O, Pfanner N*, Voos W (1999) The protein import motor of mitochondria: unfolding and trapping of preproteins are distinct and separable functions of matrix Hsp70. **Cell** 97, 565-574. *corresponding
- Accompanied by:*
- Pilon M, Schekman R (1999) Protein translocation: how Hsp70 pulls it off. Cell 97, 679-682.*
- Jensen RE, Johnson AE (1999) Protein translocation: is Hsp70 pulling my chain? Curr. Biol. 9, R779-R782.*
- O-87 van Wilpe S, Ryan MT, Hill K, Maarse AC, Meisinger C, Brix J, Dekker PJT, Moczko M, Wagner R, Meijer M, Guiard B, Hönlinger A, Pfanner N (1999) Tom22 is a multifunctional organizer of the mitochondrial preprotein translocase. **Nature** 401, 485-489. *Erratum: Nature 408, 616 (2000).*
- O-88 von Ahsen O, Lim JH, Caspers P, Martin F, Schönfeld HJ, Rassow J, Pfanner N (2000) Cyclophilin-promoted folding of mouse dihydrofolate reductase does not include the slow conversion of the late-folding intermediate to the active enzyme. **J. Mol. Biol.** 294, 809-818.
- O-89 Jiang F, Ryan MT, Schlame M, Zhao M, Gu Z, Klingenberg M, Pfanner N, Greenberg ML (2000) Absence of cardiolipin in the *crd1* null mutant results in decreased mitochondrial membrane potential and reduced mitochondrial function. **J. Biol. Chem.** 275, 22387-22394.
- O-90 Krimmer T, Rassow J, Kunau WH, Voos W, Pfanner N (2000) Mitochondrial protein import motor: the ATPase domain of matrix Hsp70 is crucial for binding to Tim44, while the peptide binding domain and the carboxy-terminal segment play a stimulatory role. **Mol. Cell. Biol.** 20, 5879-5887.
- O-91 Brix J, Ziegler GA, Dietmeier K, Schneider-Mergener J, Schulz GE, Pfanner N (2000) The mitochondrial import receptor Tom70: identification of a 25 kDa core domain with a specific binding site for preproteins. **J. Mol. Biol.** 303, 479-488.
- O-92 Geissler A, Krimmer T, Bömer U, Guiard B, Rassow J, Pfanner N (2000) Membrane potential-driven protein import into mitochondria: the sorting sequence of cytochrome *b₂* modulates the $\Delta\psi$ -dependence of translocation of the matrix-targeting sequence. **Mol. Biol. Cell** 11, 3977-3991.
- O-93 Meisinger C, Sommer T, Pfanner N (2000) Purification of *Saccharomyces cerevisiae* mitochondria devoid of microsomal and cytosolic contaminations. **Anal. Biochem.** 287, 339-342.
- O-94 Krimmer T, Rapaport D, Ryan MT, Meisinger C, Kassenbrock CK, Blachly-Dyson E, Forte M, Douglas MG, Neupert W, Nargang FE, Pfanner N (2001). Biogenesis of porin of the outer mitochondrial membrane involves an import pathway via receptors and the general import pore of the TOM complex. **J. Cell Biol.** 152, 289-300.
- O-95 Wiedemann N, Pfanner N*, Ryan MT (2001) The three modules of ADP/ATP carrier cooperate in receptor recruitment and translocation into mitochondria. **EMBO J.** 20, 951-960. *corresponding
- Selected for "Highlights" by Nat. Rev. Mol. Cell Biol. 2, 233 (2001).*
- O-96 Lim JH, Martin F, Guiard B, Pfanner N, Voos W (2001) The mitochondrial Hsp70-dependent import system actively unfolds preproteins and shortens the lag-phase of translocation. **EMBO J.** 20, 941-950.

- O-97 Meisinger C, Ryan MT, Hill K, Model K, Lim JH, Sickmann A, Müller H, Meyer HE, Wagner R, Pfanner N (2001) Protein import channel of the outer mitochondrial membrane: a highly stable Tom40-Tom22 core structure differentially interacts with preproteins, small Tom proteins, and import receptors. **Mol. Cell. Biol.** 21, 2337-2348.
- O-98 Model K, Meisinger C, Prinz T, Wiedemann N, Truscott KN, Pfanner N*, Ryan MT (2001) Multistep assembly of the protein import channel of the mitochondrial outer membrane. **Nat. Struct. Biol.** 8, 361-370. **corresponding*
Accompanied by News & Views: Matouschek A, Glick BS (2001) Barreling through the outer membrane. Nat. Struct. Biol. 8, 284-286.
Selected by Science: „Editors‘ Choice: Highlights of the recent literature“. Cell Biology: assembling the assemblers. Science 292, 603 (2001).
- O-99 Geissler A, Rassow J, Pfanner N, Voos W (2001) Mitochondrial import driving forces: enhanced trapping by matrix Hsp70 stimulates translocation and reduces the membrane potential dependence of loosely folded preproteins. **Mol. Cell. Biol.** 21, 7097-7104.
- O-100 Truscott KN, Kovermann P, Geissler A, Merlin A, Meijer M, Driessen AJM, Rassow J, Pfanner N*, Wagner R* (2001) A presequence- and voltage-sensitive channel of the mitochondrial preprotein translocase formed by Tim23. **Nat. Struct. Biol.** 8, 1074-1082. **corresponding*
Accompanied by News & Views: Jensen RE, Johnson AE (2001) Opening the door to mitochondrial protein import. Nat. Struct. Biol. 8, 1008-1010.
- O-101 Kovermann P, Truscott KN, Guiard B, Rehling P, Sepuri NB, Müller H, Jensen RE, Wagner R, Pfanner N (2002) Tim22, the essential core of the mitochondrial protein insertion complex, forms a voltage-activated and signal-gated channel. **Mol. Cell** 9, 363-373.
- O-102 Model K, Prinz T, Ruiz T, Radermacher M, Krimmer T, Kühlbrandt W, Pfanner N*, Meisinger C (2002) Protein translocase of the outer mitochondrial membrane: role of import receptors in the structural organization of the TOM complex. **J. Mol. Biol.** 316, 657-666. **corresponding*
- O-103 Truscott KN, Wiedemann N, Rehling P, Müller H, Meisinger C, Pfanner N*, Guiard B (2002) Mitochondrial import of the ADP/ATP carrier: the essential TIM complex of the intermembrane space is required for precursor release from the TOM complex. **Mol. Cell. Biol.** 22, 7780-7789. **corresponding*
- O-104 Geissler A, Chacinska A, Truscott KN, Wiedemann N, Brandner K, Sickmann A, Meyer HE, Meisinger C, Pfanner N*, Rehling P (2002) The mitochondrial presequence translocase: an essential role of Tim50 in directing preproteins to the import channel. **Cell** 111, 507-518. **corresponding*
Selected for “Highlights“ by Smallridge R (2003) Protein translocation: crossing the divide. Nat. Rev. Mol. Cell Biol. 4, 5.
- O-105 Stan T, Brix J, Schneider-Mergener J, Pfanner N, Neupert W, Rapaport D (2003) Mitochondrial protein import: recognition of internal import signals of BCS1 by the TOM complex. **Mol. Cell. Biol.** 23, 2239-2250.
- O-106 Rehling P, Model K, Brandner K, Kovermann P, Sickmann A, Meyer HE, Kühlbrandt W, Wagner R, Truscott KN, Pfanner N (2003) Protein insertion into the mitochondrial inner membrane by a twin-pore translocase. **Science** 299, 1747-1751.

Selected for "Highlights" by Smallridge R (2003) Protein translocation: doing the three-step. *Nat. Rev. Mol. Cell Biol.* 4, 343.

- O-107 Wiedemann N, Kozjak V, Prinz T, Ryan MT, Meisinger C, Pfanner N*, Truscott KN (2003) Biogenesis of yeast mitochondrial cytochrome c: a unique relationship to the TOM machinery. **J. Mol. Biol.** 327, 465-474. *corresponding

- O-108 Wiedemann N, Kozjak V, Chacinska A, Schönfish B, Rospert S, Ryan MT, Pfanner N*, Meisinger C (2003) Machinery for protein sorting and assembly in the mitochondrial outer membrane. **Nature** 424, 565-571. *corresponding

Accompanied by News & Views: Mihara K (2003) Cell biology: moving inside membranes. *Nature* 424, 505-506.

Selected for "Highlights" by Smallridge R (2003) Protein sorting: over to you, SAM. *Nat. Rev. Mol. Cell Biol.* 4, 672-673.

- O-109 Frazier AE, Chacinska A, Truscott KN, Guiard B, Pfanner N*, Rehling P (2003) Mitochondria use different mechanisms for transport of multispinning membrane proteins through the intermembrane space. **Mol. Cell. Biol.** 23, 7818-7828. *corresponding

- O-110 Chacinska A, Rehling P, Guiard B, Frazier AE, Schulze-Specking A, Pfanner N*, Voos W, Meisinger C (2003) Mitochondrial translocation contact sites: separation of dynamic and stabilizing elements in formation of a TOM-TIM-preprotein supercomplex. **EMBO J.** 22, 5370-5381. *corresponding

- O-111 Sickmann A, Reinders J, Wagner Y, Joppich C, Zahedi R, Meyer HE, Schönfish B, Perschil I, Chacinska A, Guiard B, Rehling P, Pfanner N*, Meisinger C (2003) The proteome of *Saccharomyces cerevisiae* mitochondria. **Proc. Natl. Acad. Sci. USA** 100, 13207-13212. *corresponding

Accompanied by: Jensen RE, Dunn CD, Youngman MJ, Sesaki H (2004). Mitochondrial building blocks. *Trends Cell Biol.* 14, 215-218.

- O-112 Truscott KN, Voos W, Frazier AE, Lind M, Li Y, Geissler A, Dudek J, Müller H, Sickmann A, Meyer HE, Meisinger C, Guiard B, Rehling P, Pfanner N (2003) A J-protein is an essential subunit of the presequence translocase-associated protein import motor of mitochondria. **J. Cell Biol.** 163, 707-713.

Accompanied by News & Views: Mayer MP (2004) Timing the catch. *Nat. Struct. Mol. Biol.* 11, 6-8.

- O-113 Kozjak V, Wiedemann N, Milenkovic D, Lohaus C, Meyer HE, Guiard B, Meisinger C, Pfanner N (2003) An essential role of Sam50 in the protein sorting and assembly machinery of the mitochondrial outer membrane. **J. Biol. Chem.** 278, 48520-48523.

Accompanied by:

Highlight in *Nat. Rev. Mol. Cell Biol.* 4, 911 (2003).

News & Views: Johnson AE, Jensen RE (2004) Barreling through the membrane. *Nat. Struct. Mol. Biol.* 11, 113-114.

Ryan MT (2004) Chaperones: inserting beta barrels into membranes. *Curr. Biol.* 14, R207-R209.

- O-114 Frazier AE, Dudek J, Guiard B, Voos W, Li Y, Lind M, Meisinger C, Geissler A, Sickmann A, Meyer HE, Bilanchone V, Cumsky MG, Truscott KN, Pfanner N*, Rehling P* (2004) Pam16 has an essential role in the mitochondrial protein import motor. **Nat. Struct. Mol. Biol.** 11, 226-233. *corresponding

- O-115 Meisinger C, Rissler M, Chacinska A, Sanjuán Szklarz LK, Milenkovic D, Kozjak V, Schönfish B, Lohaus C, Meyer HE, Yaffe MP, Guiard B, Wiedemann N, Pfanner N

- (2004) The mitochondrial morphology protein Mdm10 functions in assembly of the preprotein translocase of the outer membrane. **Dev. Cell** 7, 61-71.
- O-116 Wiedemann N, Truscott KN, Pfannschmidt S, Guiard B, Meisinger C, Pfanner N (2004) Biogenesis of the protein import channel Tom40 of the mitochondrial outer membrane: intermembrane space components are involved in an early stage of the assembly pathway. **J. Biol. Chem.** 279, 18188-18194.
- O-117 Milenkovic D, Kozjak V, Wiedemann N, Lohaus C, Meyer HE, Guiard B, Pfanner N*, Meisinger C (2004) Sam35 of the mitochondrial protein sorting and assembly machinery is a peripheral outer membrane protein essential for cell viability. **J. Biol. Chem.** 279, 22781-22785. **corresponding*
- O-118 Li Y, Dudek J, Guiard B, Pfanner N*, Rehling P*, Voos W (2004) The presequence translocase-associated protein import motor of mitochondria: Pam16 functions in an antagonistic manner to Pam18. **J. Biol. Chem.** 279, 38047-38054. **corresponding*
- O-119 Chacinska A, Pfannschmidt S, Wiedemann N, Kozjak V, Sanjuán Szklarz LK, Schulze-Specking A, Truscott KN, Guiard B, Meisinger C, Pfanner N (2004) Essential role of Mia40 in import and assembly of mitochondrial intermembrane space proteins. **EMBO J.** 23, 3735-3746.
- O-120 Chacinska A, Lind M, Frazier AE, Dudek J, Meisinger C, Geissler A, Sickmann A, Meyer HE, Truscott KN, Guiard B, Pfanner N*, Rehling P* (2005) Mitochondrial presequence translocase: switching between TOM tethering and motor recruitment involves Tim21 and Tim17. **Cell** 120, 817-829. **corresponding*
- Accompanied by:*
- Preview: Oka T, Mihara K (2005) A railroad switch in mitochondrial protein import. Mol. Cell* 18, 145-146.
- Perry AJ, Lithgow T (2005) Protein targeting: entropy, energetics and modular machines. Curr. Biol.* 15, R423-R425.
- O-121 Sanjuán Szklarz LK, Guiard B, Rissler M, Wiedemann N, Kozjak V, van der Laan M, Lohaus C, Marcus K, Meyer HE, Chacinska A, Pfanner N*, Meisinger C (2005) Inactivation of the mitochondrial heat shock protein Zim17 leads to aggregation of matrix Hsp70s followed by pleiotropic effects on morphology and protein biogenesis. **J. Mol. Biol.** 351, 206-218. **corresponding*
- O-122 van der Laan M, Chacinska A, Lind M, Perschil I, Sickmann A, Meyer HE, Guiard B, Meisinger C, Pfanner N*, Rehling P* (2005) Pam17 is required for architecture and translocation activity of the mitochondrial protein import motor. **Mol. Cell. Biol.** 25, 7449-7458. **corresponding*
- O-123 Rissler M, Wiedemann N, Pfannschmidt S, Gabriel K, Guiard B, Pfanner N*, Chacinska A (2005) The essential mitochondrial protein Erv1 cooperates with Mia40 in biogenesis of intermembrane space proteins. **J. Mol. Biol.** 353, 485-492. **corresponding*
- O-124 Becker L, Bannwarth M, Meisinger C, Hill K, Model K, Krimmer T, Casadio R, Truscott KN, Schulz GE, Pfanner N*, Wagner R* (2005) Preprotein translocase of the outer mitochondrial membrane: reconstituted Tom40 forms a characteristic TOM pore. **J. Mol. Biol.** 353, 1011-1020. **corresponding*
- O-125 Wiedemann N, Urzica E, Guiard B, Müller H, Lohaus C, Meyer HE, Ryan MT, Meisinger C, Mühlenhoff U, Lill R, Pfanner N (2006) Essential role of Isd11 in mitochondrial iron-sulfur cluster synthesis on Isu scaffold proteins. **EMBO J.** 25, 184-195.

- O-126 Zahedi RP, Sickmann A, Boehm AM, Winkler C, Zufall N, Schönfisch B, Guiard B, Pfanner N, Meisinger C (2006) Proteomic analysis of the yeast mitochondrial outer membrane reveals accumulation of a subclass of preproteins. **Mol. Biol. Cell** 17, 1436-1450.
- O-127 Reinders J, Zahedi RP, Pfanner N, Meisinger C, Sickmann A (2006) Toward the complete yeast mitochondrial proteome: multidimensional separation techniques for mitochondrial proteomics. **J. Proteome Res.** 5, 1543-1554.
- O-128 Meisinger C, Wiedemann N, Rissler M, Strub A, Milenkovic D, Schönfisch B, Müller H, Kozjak V, Pfanner N (2006) Mitochondrial protein sorting: differentiation of β -barrel assembly by Tom7-mediated segregation of Mdm10. **J. Biol. Chem.** 281, 22819-22826.
- O-129 Meinecke M, Wagner R*, Kovermann P, Guiard B, Mick DU, Hutu DP, Voos W, Truscott KN, Chacinska A, Pfanner N*, Rehling P (2006) Tim50 maintains the permeability barrier of the mitochondrial inner membrane. **Science** 312, 1523-1526. **corresponding*
- O-130 Albrecht R, Rehling P, Chacinska A, Brix J, Cadamuro SA, Volkmer R, Guiard B, Pfanner N*, Zeth K* (2006) The Tim21 binding domain connects the preprotein translocases of both mitochondrial membranes. **EMBO Rep.** 7, 1233-1238. **corresponding*
- O-131 van der Laan M, Wiedemann N, Mick DU, Guiard B, Rehling P, Pfanner N (2006) A role for Tim21 in membrane-potential-dependent preprotein sorting in mitochondria. **Curr. Biol.** 16, 2271-2276.
- O-132 Gabriel K, Milenkovic D, Chacinska A, Müller J, Guiard B, Pfanner N*, Meisinger C (2007) Novel mitochondrial intermembrane space proteins as substrates of the MIA import pathway. **J. Mol. Biol.** 365, 612-620. **corresponding*
- O-133 Sanjuán Szklarz LK, Kozjak-Pavlovic V, Vögtle FN, Chacinska A, Milenkovic D, Vogel S, Dürr M, Westermann B, Guiard B, Martinou JC, Borner C, Pfanner N*, Meisinger C (2007) Preprotein transport machineries of yeast mitochondrial outer membrane are not required for Bax-induced release of intermembrane space proteins. **J. Mol. Biol.** 368, 44-54. **corresponding*
- O-134 Meisinger C, Pfannschmidt S, Rissler M, Milenkovic D, Becker T, Stojanovski D, Youngman MJ, Jensen RE, Chacinska A, Guiard B, Pfanner N*, Wiedemann N (2007) The morphology proteins Mdm12/Mmm1 function in the major β -barrel assembly pathway of mitochondria. **EMBO J.** 26, 2229-2239. **corresponding*
- Selected for Highlight in EMBOencounters (Issue 8, Spring 2007, p. 6) by the editors of the EMBO Journal.*
- O-135 Milenkovic D, Gabriel K, Guiard B, Schulze-Specking A, Pfanner N*, Chacinska A (2007) Biogenesis of the essential Tim9-Tim10 chaperone complex of mitochondria: site-specific recognition of cysteine residues by the intermembrane space receptor Mia40. **J. Biol. Chem.** 282, 22472-22480. **corresponding*
- O-136 Reinders J, Wagner K, Zahedi RP, Stojanovski D, Eyrich B, van der Laan M, Rehling P, Sickmann A, Pfanner N, Meisinger C (2007) Profiling phosphoproteins of yeast mitochondria reveals a role of phosphorylation in assembly of the ATP synthase. **Mol. Cell. Proteomics** 6, 1896-1906.
- O-137 van der Laan M, Meinecke M, Dudek J, Hutu DP, Lind M, Perschil I, Guiard B, Wagner R*, Pfanner N*, Rehling P (2007) Motor-free mitochondrial presequence translocase drives membrane integration of preproteins. **Nat. Cell Biol.**, 9, 1152-1159. **corresponding*
- O-138 Stojanovski D, Guiard B, Kozjak-Pavlovic V, Pfanner N*, Meisinger C (2007) Alternative function for the mitochondrial SAM complex in biogenesis of α -helical TOM proteins. **J.**

- Cell Biol.** 179, 881-893. *Erratum: J. Cell Biol.* 179, 1613. **corresponding*
- O-139 Wiedemann N, van der Laan M, Hutu DP, Rehling P, Pfanner N (2007) Sorting switch of mitochondrial presequence translocase involves coupling of motor module to respiratory chain. **J. Cell Biol.** 179, 1115-1122.
- O-140 Becker T, Pfannschmidt S, Guiard B, Stojanovski D, Milenkovic D, Kutik S, Pfanner N*, Meisinger C, Wiedemann N (2008) Biogenesis of the mitochondrial TOM complex: Mim1 promotes insertion and assembly of signal-anchored receptors. **J. Biol. Chem.** 283, 120-127. **corresponding*
- O-141 Müller JM, Milenkovic D, Guiard B, Pfanner N*, Chacinska A (2008) Precursor oxidation by Mia40 and Erv1 promotes vectorial transport of proteins into the mitochondrial intermembrane space. **Mol. Biol. Cell** 19, 226-236. *Correction: Mol. Biol. Cell* 25, 1408 (2014). **corresponding*
- O-142 Kutik S, Stojanovski D, Becker L, Becker T, Meinecke M, Krüger V, Prinz C, Meisinger C, Guiard B, Wagner R, Pfanner N*, Wiedemann N (2008) Dissecting membrane insertion of mitochondrial β -barrel proteins. **Cell** 132, 1011-1024. **corresponding*
- Accompanied by:*
- Research Highlight by Heinrichs A (2008) Protein translocation: dancing the two-step with SAM. Nat. Rev. Mol. Cell Biol.* 9, 350.
- Imai K, Gromiha MM, Horton P (2008) Correspondence: mitochondrial β -barrel proteins, an exclusive club? Cell* 135, 1158-1159.
- Kutik S, Stojanovski D, Becker T, Stroud DA, Becker L, Meinecke M, Krüger V, Prinz C, Guiard B, Wagner R, Meisinger C, Pfanner N, Wiedemann N (2008) Response: the mitochondrial β -signal and protein sorting. Cell* 135, 1159-1160.
- O-143 Gebert N, Chacinska A, Wagner K, Guiard B, Koehler CM, Rehling P, Pfanner N*, Wiedemann N (2008) Assembly of the three small Tim proteins precedes docking to the mitochondrial carrier translocase. **EMBO Rep.** 9, 548-554. **corresponding*
- O-144 Wagner K, Gebert N, Guiard B, Brandner K, Truscott KN, Wiedemann N, Pfanner N*, Rehling P* (2008) The assembly pathway of the mitochondrial carrier translocase involves four preprotein translocases. **Mol. Cell Biol.** 28, 4251-4260. **corresponding*
- O-145 Hutu DP, Guiard B, Chacinska A, Becker D, Pfanner N*, Rehling P*, van der Laan M (2008) Mitochondrial protein import motor: differential role of Tim44 in the recruitment of Pam17 and J-complex to the presequence translocase. **Mol. Biol. Cell** 19, 2642-2649. **corresponding*
- O-146 Stojanovski D, Milenkovic D, Müller JM, Gabriel K, Schulze-Specking A, Baker MJ, Ryan MT, Guiard B, Pfanner N*, Chacinska A* (2008) Mitochondrial protein import: precursor oxidation in a ternary complex with disulfide carrier and sulfhydryl oxidase. **J. Cell Biol.** 183, 195-202. **corresponding*
- O-147 Kutik S, Rissler M, Guan XL, Guiard B, Shui G, Gebert N, Heacock PN, Rehling P, Dowhan W, Wenk MR, Pfanner N*, Wiedemann N (2008) The translocator maintenance protein Tam41 is required for mitochondrial cardiolipin biosynthesis. **J. Cell Biol.**, 183, 1213-1221. **corresponding*
- Accompanied by:*
- Leslie M (2008) Cardio(lipin) workout beefs up mitochondrial imports. J. Cell Biol.* 183, 1178.
- Gohil VM, Greenberg ML (2009) Mitochondrial membrane biogenesis: phospholipids and proteins go hand in hand. J. Cell Biol.* 184, 469-472.

- O-148 Chacinska A, Guiard B, Müller JM, Schulze-Specking A, Gabriel K, Kutik S, Pfanner N (2008) Mitochondrial biogenesis, switching the sorting pathway of the intermembrane space receptor Mia40. **J. Biol. Chem.** 283, 29723-29729.
- O-149 Vögtle FN, Wortelkamp S, Zahedi RP, Becker D, Leidhold C, Gevaert K, Kellermann J, Voos W, Sickmann A*, Pfanner N*, Meisinger C (2009) Global analysis of the mitochondrial N-proteome identifies a processing peptidase critical for protein stability. **Cell** 139, 428-439. **corresponding*
- O-150 Wagner K, Rehling P, Sanjuán Szklarz LK, Taylor RD, Pfanner N*, van der Laan M (2009) Mitochondrial F₁F₀-ATP synthase: the small subunits e and g associate with monomeric complexes to trigger dimerization. **J. Mol. Biol.** 392, 855-861. **corresponding*
- O-151 Gebert N, Joshi AS, Kutik S, Becker T, McKenzie M, Guan XL, Mooga VP, Stroud DA, Kulkarni G, Wenk MR, Rehling P, Meisinger C, Ryan MT, Wiedemann N, Greenberg ML, Pfanner N (2009) Mitochondrial cardiolipin involved in outer-membrane protein biogenesis: implications for Barth syndrome. **Curr. Biol.** 19, 2133-2139.
- O-152 Chacinska A, van der Laan M, Mehnert CS, Guiard B, Mick DU, Hutu DP, Truscott KN, Wiedemann N, Meisinger C, Pfanner N*, Rehling P* (2010) Distinct forms of mitochondrial TOM-TIM supercomplexes define signal-dependent states of preprotein sorting. **Mol. Cell. Biol.** 30, 307-318. **corresponding*
- O-153 Thornton N, Stroud DA, Milenkovic D, Guiard B, Pfanner N*, Becker T (2010) Two modular forms of the mitochondrial sorting and assembly machinery are involved in biogenesis of α -helical outer membrane proteins. **J. Mol. Biol.** 396, 540-549. **corresponding*
- O-154 Bohnert M, Rehling P, Guiard B, Herrmann JM, Pfanner N*, van der Laan M (2010) Cooperation of stop-transfer and conservative sorting mechanisms in mitochondrial protein transport. **Curr. Biol.** 20, 1227-1232. **corresponding*
Accompanied by: Webb CT, Lithgow T (2010) Mitochondrial biogenesis: sorting mechanisms cooperate in ABC transporter assembly. Curr. Biol. 20, R564-R567.
- O-155 Becker T, Guiard B, Thornton N, Zufall N, Stroud DA, Wiedemann N, Pfanner N (2010) Assembly of the mitochondrial protein import channel: role of Tom5 in two-stage interaction of Tom40 with the SAM complex. **Mol. Biol. Cell** 21, 3106-3113.
Selected for "Highlights from MBoC" by the Editorial Board of Mol. Biol. Cell
- O-156 Becker T, Wenz LS, Thornton N, Stroud D, Meisinger C, Wiedemann N, Pfanner N (2011) Biogenesis of mitochondria: dual role of Tom7 in modulating assembly of the preprotein translocase of the outer membrane. **J. Mol. Biol.** 405, 113-124.
- O-157 Schmidt O, Harbauer AB, Rao S, Eyrich B, Zahedi RP, Stojanovski D, Schönfisch B, Guiard B, Sickmann A, Pfanner N*, Meisinger C* (2011) Regulation of mitochondrial protein import by cytosolic kinases. **Cell** 144, 227-239. **corresponding*
Selected for "Research Highlights" by Donner A (2011) Mitochondrial trafficking: peeping at TOM. Nat. Chem. Biol. 7, 128.
- O-158 Qian X, Gebert M, Höpker J, Yan M, Li J, Wiedemann N, van der Laan M, Pfanner N*, Sha B* (2011) Structural basis for the function of Tim50 in the mitochondrial presequence translocase. **J. Mol. Biol.** 411, 513-519. **corresponding*

- O-159 Becker T, Wenz LS, Krüger V, Lehmann W, Müller JM, Goroncy L, Zufall N, Lithgow T, Guiard B, Chacinska A, Wagner R, Meisinger C, Pfanner N (2011) The mitochondrial import protein Mim1 promotes biogenesis of multispanning outer membrane proteins. **J. Cell Biol.** 194, 387-395.
- O-160 Stroud DA, Becker T, Qiu J, Stojanovski D, Pfannschmidt S, Wirth C, Hunte C, Guiard B, Meisinger C, Pfanner N*, Wiedemann N* (2011) Biogenesis of mitochondrial β -barrel proteins: the POTRA domain is involved in precursor release from the SAM complex. **Mol. Biol. Cell** 22, 2823-2833. **corresponding*
- O-161 Vögtle FN, Prinz C, Kellermann J, Lottspeich F, Pfanner N, Meisinger C (2011) Mitochondrial protein turnover: role of the precursor intermediate peptidase Oct1 in protein stabilization. **Mol. Biol. Cell** 22, 2135-2143.
- Selected for "Highlights from MBoC" by the Editorial Board of Mol. Biol. Cell*
- O-162 Gebert N, Gebert M, Oeljeklaus S, von der Malsburg K, Stroud DA, Kulawiak B, Wirth C, Zahedi RP, Dolezal P, Wiese S, Simon O, Schulze-Specking A, Truscott KN, Sickmann A, Rehling P, Guiard B, Hunte C, Warscheid B, van der Laan M, Pfanner N*, Wiedemann N* (2011) Dual function of Sdh3 in the respiratory chain and TIM22 protein translocase of the mitochondrial inner membrane. **Mol. Cell** 44, 811-818. **corresponding*
- O-163 von der Malsburg K, Müller JM, Bohnert M, Oeljeklaus S, Kwiatkowska P, Becker T, Loniewska-Lwowska A, Wiese S, Rao S, Milenkovic D, Hutu DP, Zerbes RM, Schulze-Specking A, Meyer HE, Martinou JC, Rospert S, Rehling P, Meisinger C, Veenhuis M, Warscheid B, van der Klei IJ, Pfanner N*, Chacinska A*, van der Laan M (2011) Dual role of mitofilin in mitochondrial membrane organization and protein biogenesis. **Dev. Cell** 21, 694-707. **corresponding*
- Accompanied by:*
- Preview: Herrmann JM (2011) MINOS is plus: a mitofilin complex for mitochondrial membrane contacts. Dev. Cell* 21, 599-600.
- Cerveny KL (2011) The IMPORTance of mitochondrial organization. Cell* 147, 713.
- O-164 Gebert M, Schrempf SG, Mehnert CS, Heißwolf AK, Oeljeklaus S, Ieva R, Bohnert M, von der Malsburg K, Wiese S, Kleinschroth T, Hunte C, Meyer HE, Haferkamp I, Guiard B, Warscheid B, Pfanner N*, van der Laan M* (2012) Mgr2 promotes coupling of the mitochondrial presequence translocase to partner complexes. **J. Cell Biol.** 197, 595-604. **corresponding*
- O-165 Rao S, Schmidt O, Harbauer A.B., Schönfisch B, Guiard B, Pfanner N*, and Meisinger C.* (2012). Biogenesis of the preprotein translocase of the outer mitochondrial membrane: protein kinase A phosphorylates the precursor of Tom40 and impairs its import. **Mol. Biol. Cell** 23, 1618-1627. **corresponding*
- O-166 Zerbes RM, Bohnert M, Stroud DA, von der Malsburg K, Kram A, Oeljeklaus S, Warscheid B, Becker T, Wiedemann N, Veenhuis M, van der Klei IJ, Pfanner N*, van der Laan M* (2012) Role of MINOS in mitochondrial membrane architecture: cristae morphology and outer membrane interactions differentially depend on mitofilin domains. **J. Mol. Biol.** 422, 183-191. **corresponding*
- Accompanied by: Gabriel K (2012) Connecting the points: revealing the bigger picture. J. Mol. Biol.* 422, 181-182.

- O-167 Bohnert M, Wenz LS, Zerbes RM, Horvath SE, Stroud DA, von der Malsburg K, Müller JM, Oeljeklaus S, Perschil I, Warscheid B, Chacinska A, Veenhuis M, van der Klei IJ, Daum G, Wiedemann N, Becker T, Pfanner N*, van der Laan M* (2012) Role of mitochondrial inner membrane organizing system in protein biogenesis of the mitochondrial outer membrane. **Mol. Biol. Cell** 23, 3948-3956. **corresponding*
Selected for "Highlights from MBoC" by the Editorial Board of Mol. Biol. Cell
- O-168 Böttinger L, Horvath SE, Kleinschroth T, Hunte C, Daum G*, Pfanner N*, Becker T (2012) Phosphatidylethanolamine and cardiolipin differentially affect the stability of mitochondrial respiratory chain supercomplexes. **J. Mol. Biol.** 423, 677-686. **corresponding*
- O-169 Becker T, Horvath SE, Böttinger L, Gebert N, Daum G, Pfanner N (2013) Role of phosphatidylethanolamine in the biogenesis of mitochondrial outer membrane proteins. **J. Biol. Chem.** 288, 16451-16459.
- O-170 Qiu J, Wenz LS, Zerbes RM, Oeljeklaus S, Bohnert M, Stroud DA, Wirth C, Ellenrieder L, Thornton N, Kutik S, Wiese S, Schulze-Specking A, Zufall N, Chacinska A, Guiard B, Hunte C, Warscheid B, van der Laan M, Pfanner N*, Wiedemann N*, Becker T (2013) Coupling of mitochondrial import and export translocases by receptor-mediated supercomplex formation. **Cell** 154, 596-608. **corresponding*
- O-171 Gerbeth C, Schmidt O, Rao S, Harbauer AB, Mikropoulou D, Opalinska M, Guiard B, Pfanner N*, Meisinger C* (2013) Glucose-induced regulation of protein import receptor Tom22 by cytosolic and mitochondria-bound kinases. **Cell Metab.** 18, 578-587. **corresponding*
- O-172 Ieva R, Heißwolf AK, Gebert M, Vögtle FN, Wollweber F, Mehnert CS, Oeljeklaus S, Warscheid B, Meisinger C, van der Laan M, Pfanner N (2013) Mitochondrial inner membrane protease promotes assembly of presequence translocase by removing a carboxy-terminal targeting sequence. **Nat. Commun.** 4, 2853.
- O-173 Wenz LS, Opalinski L, Schuler MH, Ellenrieder L, Ieva R, Böttinger L, Qiu J, van der Laan M, Wiedemann N, Guiard B, Pfanner N*, Becker T (2014) The presequence pathway is involved in protein sorting to the mitochondrial outer membrane. **EMBO Rep.**, 15, 678-685. **corresponding*
- O-174 Gold VAM, Ieva R, Walter A, Pfanner N, van der Laan M, Kühlbrandt W (2014) Visualizing active membrane protein complexes by electron cryo-tomography. **Nat. Commun.** 5, 4129.
- O-175 Harbauer AB, Opalinska M, Gerbeth C, Herman JS, Rao S, Schönfisch B, Guiard B, Schmidt O, Pfanner N*, Meisinger C* (2014) Cell cycle-dependent regulation of mitochondrial preprotein translocase. **Science** 346, 1109-1113. **corresponding*
Accompanied by Perspective: Schulz C, Rehling P (2014) Cell biology: powering the cell cycle. Science 346, 1059-1060.
Editors' Choice: Hurtley SM (2014) Crosstalk between mitochondria and mitosis. Sci. Signal. 7, ec338.
Shiota T, Traven A, Lithgow T (2015) Mitochondrial biogenesis: cell-cycle-dependent investment in making mitochondria. Curr. Biol. 25, R78-R80.

- O-176 Ieva R, Schrempp SG, Opalinski L, Wollweber F, Höß P, Heißwolf AK, Gebert M, Zhang Y, Guiard B, Rospert S, Becker T, Chacinska A, Pfanner N*, van der Laan M* (2014) Mgr2 functions as lateral gatekeeper for preprotein sorting in the mitochondrial inner membrane. **Mol. Cell** 56, 641-652. **corresponding*
Accompanied by Preview: Steffen J, Koehler CM (2014) The great escape: Mgr2 of the mitochondrial TIM23 translocon is a gatekeeper tasked with releasing membrane proteins. Mol. Cell 56, 613-614.
- O-177 Bohnert M, Zerbes RM, Davies KM, Mühleip AW, Rampelt H, Horvath SE, Boenke T, Kram A, Perschil I, Veenhuis M, Kühlbrandt W, van der Klei IJ, Pfanner N*, van der Laan M* (2015) Central role of Mic10 in the mitochondrial contact site and cristae organizing system. **Cell Metab.** 21, 747-755. **corresponding*
Accompanied by Preview: Milenkovic, D., and Larsson, N.G. (2015). Mic10 oligomerization pinches off mitochondrial cristae. Cell Metab. 21, 660-661.
- O-178 Wenz LS, Ellenrieder L, Qiu J, Bohnert M, Zufall N, van der Laan M, Pfanner N*, Wiedemann N*, Becker T (2015) Sam37 is crucial for formation of the mitochondrial TOM-SAM supercomplex, thereby promoting β -barrel biogenesis. **J. Cell Biol.** 210, 1047-1054. **corresponding*
- O-179 Shiota T, Imai K, Qiu J, Hewitt VL, Tan K, Shen HH, Sakiyama N, Fukasawa Y, Hayat S, Kamiya M, Elofsson A, Tomii K, Horton P, Wiedemann N, Pfanner N, Lithgow T, Endo T (2015) Molecular architecture of the active mitochondrial protein gate. **Science** 349, 1544-1548.
Accompanied by News & Views: Mokranjac D, Neupert W (2015) Architecture of a protein entry gate. Nature 528, 201-202.
- O-180 Stiller SB, Höpker J, Oeljeklaus S, Schütze C, Schrempp SG, Vent-Schmidt J, Horvath SE, Frazier AE, Gebert N, van der Laan M, Bohnert M, Warscheid B, Pfanner N*, Wiedemann N* (2016) Mitochondrial OXA translocase plays a major role in biogenesis of inner-membrane proteins. **Cell Metab.** 23, 901-908. **corresponding*
- O-181 Ellenrieder L, Opalinski L, Becker L, Krüger V, Mirus O, Straub SP, Ebell K, Flinner N, Stiller SB, Guiard B, Meisinger C, Wiedemann N, Schleiff E, Wagner R, Pfanner N*, Becker T* (2016) Separating mitochondrial protein assembly and endoplasmic reticulum tethering by selective coupling of Mdm10. **Nat. Commun.** 7, 13021. **corresponding*
- O-182 Zerbes RM, Höß P, Pfanner N*, van der Laan M*, Bohnert M (2016) Distinct roles of Mic12 and Mic27 in the mitochondrial contact site and cristae organizing system. **J. Mol. Biol.** 428, 1485-1492. **corresponding*
- O-183 Chatterjee A, Seyfferth J, Lucci J, Gilsbach R, Preissl S, Böttinger L, Martensson CU, Panhale A, Stehle T, Kretz O, Sahyoun AH, Avilov S, Eimer S, Hein L, Pfanner N, Becker T, Akhtar A (2016) MOF acetyl transferase regulates transcription and respiration in mitochondria. **Cell** 167, 722-738.
- O-184 Hessenberger M, Zerbes RM, Rampelt H, Kunz S, Xavier AH, Purfürst B, Lilie H, Pfanner N, van der Laan M, Daumke O (2017) Regulated membrane remodeling by Mic60 controls formation of mitochondrial crista junctions. **Nat. Commun.** 8, 15258.
- O-185 Rampelt H*, Bohnert M, Zerbes RM, Horvath SE, Warscheid B, Pfanner N*, van der Laan M (2017) Mic10, a core subunit of the mitochondrial contact site and cristae organizing system, interacts with the dimeric F_1F_o -ATP synthase. **J. Mol. Biol.** 429, 1162-1170. **corresponding*

- O-186 Morgenstern M, Stiller SB, Lübbert P, Peikert CD, Dannenmaier S, Drepper F, Weill U, Höß P, Feuerstein R, Gebert M, Bohnert M, van der Laan M, Schuldiner M, Schütze C, Oeljeklaus S, Pfanner N, Wiedemann N, Warscheid B (2017) Definition of a high-confidence mitochondrial proteome at quantitative scale. **Cell Rep.** 19, 2836-2852.
- O-187 Krüger V, Becker T, Becker L, Montilla-Martinez M, Ellenrieder L, Vögtle FN, Meyer HE, Ryan MT, Wiedemann N, Warscheid B, Pfanner N*, Wagner R*, Meisinger C (2017) Identification of new channels by systematic analysis of the mitochondrial outer membrane. **J. Cell Biol.** 216, 3485-3495. **corresponding*
- O-188 Höhr AIC, Lindau C, Wirth C, Qiu J, Stroud DA, Kutik S, Guiard B, Hunte C, Becker T, Pfanner N*, Wiedemann N* (2018) Membrane protein insertion through a mitochondrial β -barrel gate. **Science** 359, eaah6834. **corresponding*
- O-189 Opalinski L, Song J, Priesnitz C, Wenz LS, Oeljeklaus S, Warscheid B, Pfanner N*, Becker T* (2018) Recruitment of cytosolic J-proteins by TOM receptors promotes mitochondrial protein biogenesis. **Cell Rep.** 25, 2036-2043. **corresponding*
- O-190 Rampelt H*, Wollweber F, Gerke C, de Boer R, van der Klei IJ, Bohnert M, Pfanner N*, van der Laan M (2018) Assembly of the mitochondrial cristae organizer Mic10 is regulated by Mic26-Mic27 antagonism and cardiolipin. **J. Mol. Biol.** 430, 1883-1890. **corresponding*
- O-191 Ellenrieder L, Dieterle MP, Doan KN, Martensson CU, Floerchinger A, Campo ML, Pfanner N*, Becker T* (2019) Dual role of mitochondrial porin in metabolite transport across the outer membrane and protein transfer to the inner membrane. **Mol. Cell** 73, 1056-1065. **corresponding*
- Accompanied by: Edwards R, Tokatlidis K (2019) The yeast voltage-dependent anion channel porin: more IMPORTANT than just metabolite transport. Mol. Cell* 73, 861-862.
- O-192 Araiso Y, Tsutsumi A, Qiu J, Imai K, Shiota T, Song J, Lindau C, Wenz LS, Sakaue H, Yunoki K, Kawano S, Suzuki J, Wischnewski M, Schütze C, Ariyama H, Ando T, Becker T, Lithgow T, Wiedemann N, Pfanner N, Kikkawa M, Endo T (2019) Structure of the mitochondrial import gate reveals distinct preprotein paths. **Nature** 575, 395-401.
- Accompanied by News & Views: Rapaport D (2019) The mitochondrial gate reveals its secrets. Nat. Struct. Mol. Biol.* 26, 1083-1085.
- O-193 Rampelt H, Sucec I, Bersch B, Horten P, Perschil I, Martinou JC, van der Laan M, Wiedemann N, Schanda P, Pfanner N (2020) The mitochondrial carrier pathway transports non-canonical substrates with an odd number of transmembrane segments. **BMC Biol.** 18, 2.
- O-194 Doan KN, Grevel A, Martensson CU, Ellenrieder L, Thornton N, Wenz LS, Opalinski L, Guiard B, Pfanner N*, Becker T* (2020) The mitochondrial import complex MIM functions as main translocase for α -helical outer membrane proteins. **Cell Rep.** 31, 107567. **corresponding*
- O-195 Takeda H, Tsutsumi A, Nishizawa T, Lindau C, Busto JV, Wenz LS, Ellenrieder L, Imai K, Straub SP, Mossmann W, Qiu J, Yamamori Y, Tomii K, Suzuki J, Murata T, Ogasawara S, Nureki O, Becker T, Pfanner N, Wiedemann N, Kikkawa M, Endo T (2021) Mitochondrial sorting and assembly machinery operates by β -barrel switching. **Nature** 590, 163-169.

- O-196 Morgenstern M, Peikert CD, Lübbert P, Suppanz I, Klemm C, Alka O, Steiert C, Naumenko N, Schendzielorz A, Melchionda L, Mühlhäuser WWD, Knapp B, Busch JD, Stiller SB, Dannenmaier S, Lindau C, Licheva M, Eickhorst C, Galbusera R, Zerbes RM, Ryan MT, Kraft C, Kozjak-Pavlovic V, Drepper F, Dennerlein S, Oeljeklaus S, Pfanner N, Wiedemann N, Warscheid B (2021) Quantitative high-confidence human mitochondrial proteome and its dynamics in cellular context. **Cell Metab.** 33, 2464-2483.
- O-197 Rampelt H, Wollweber F, Licheva M, de Boer R, Perschil I, Steidle L, Becker T, Bohnert M, van der Klei I, Kraft C, van der Laan M, Pfanner N (2022) Dual role of Mic10 in mitochondrial cristae organization and ATP synthase-linked metabolic adaptation and respiratory growth. **Cell Rep.** 38, 110290.
- O-198 Takeda H, Busto JV, Lindau C, Tsutsumi A, Tomii K, Imai K, Yamamori Y, Hirokawa T, Motono C, Ganesan I, Wenz LS, Becker T, Kikkawa M, Pfanner N*, Wiedemann N*, Endo T* (2023) A multipoint guidance mechanism for β -barrel folding on the SAM complex. **Nat. Struct. Mol. Biol.** 30, 176-187. *Correction: Nat. Struct. Mol. Biol.* 30, 233 (2023). **corresponding*
- O-199 Schulte U, den Brave F, Haupt A, Gupta A, Song J, Müller CS, Engelke J, Mishra S, Mårtensson C, Ellenrieder L, Priesnitz C, Straub SP, Doan KN, Kulawiak B, Bildl W, Rampelt H, Wiedemann N, Pfanner N*, Fakler B*, Becker T (2023) Mitochondrial complexome reveals quality-control pathways of protein import. **Nature** 614, 153-159. **corresponding*
- O-200 Guhathakurta S, Erdogan NU, Hoffmann JJ, Grzadzielewska I, Schendzielorz A, Seyfferth J, Mårtensson CU, Corrado M, Karoutas A, Warscheid B, Pfanner N, Becker T, Akhtar A (2023) COX17 acetylation via MOF-KANSL complex promotes mitochondrial integrity and function. **Nat. Metab.** 5, 1931-1952.
- Accompanied by News & Views:*
Niemi, N. (2023). MOF moves into mitochondria. Nat. Metab. 5, 1846-1847.
Typas, D. (2023). MOF acetylates COX17 to preserve functional mitochondria: a KAT with two lives. Nat. Struct. Mol. Biol. 30, 1620.
- O-201 Horten P, Song K, Garlich J, Hardt R, Colina-Tenorio L, Horvath SE, Schulte U, Fakler B, van der Laan M, Becker T, Stuart RA, Pfanner N*, Rampelt H* (2024) Identification of MIMAS, a multifunctional mega-assembly integrating metabolic and respiratory biogenesis factors of mitochondria. **Cell Rep.** 43, 113772. **corresponding*
- Accompanied by Preview: Tokatlidis, K. (2024). MIMAS is a new giant multifunctional player in the mitochondrial megacomplex playground. Cell Rep.* 43, 113874.
- O-202 Jia Y, Wang S, Urban S, Müller JM, Sum M, Wang Q, Bauer H, Schulte U, Rampelt H, Pfanner N, Schüle KM, Imhof A, Forné I, Berlin C, Sigle A, Gratzke C, Greschik H, Metzger E, Schüle R (2025) Mitochondrial KMT9 methylates DLAT to control pyruvate dehydrogenase activity and prostate cancer growth. **Nat. Commun.** 16, 1191.

B. Reviews / Comments

- R-1 Schmidt B, Pfaller R, Pfanner N, Schleyer M, Neupert W (1985) Transport of proteins into mitochondria: receptors, recognition and transmembrane movement of precursors. In **"Achievements and Perspectives of Mitochondrial Research"** (Quagliariello E, Slater EC, Palmieri F, Saccone C, Kroon AM, eds.), Elsevier Science Publishers B.V., Amsterdam, Vol. II, 389-396.
- R-2 Pfanner N, Neupert W (1987) Biogenesis of mitochondrial energy transducing complexes. **Curr. Top. Bioenerg.** 15, 177-219.
- R-3 Hartl FU, Pfanner N, Neupert W (1987) Translocation intermediates on the import pathway of proteins into mitochondria. **Biochem. Soc. Trans.** 15, 95-97.
- R-4 Hartl FU, Ostermann J, Pfanner N, Tropschug M, Guiard B, Neupert W (1987) Import of cytochromes *b₂* and *c₁* into mitochondria is dependent on both a membrane potential and nucleoside triphosphates. In **"Cytochrome Systems: Molecular Biology and Energetics"** (Papa S, Chance B, Ernster L, eds.), Plenum Publ. Corp., New York, pp. 189-196.
- R-5 Pfanner N, Hartl FU, Neupert W (1988) Import of proteins into mitochondria: a multi-step process. **Eur. J. Biochem.** 175, 205-212.
- R-6 Pfanner N, Neupert W (1988) Bioenergetics of protein transport into mitochondria: role of $\Delta\Psi$ and of nucleoside triphosphates. In **"The Roots of Modern Biochemistry, Energetics of the Cell"** (Kleinkauf H, von Döhren H, Jaenicke L, eds.), Walter de Gruyter, Berlin, pp. 707-712.
- R-7 Pfanner N, Pfaller R, Neupert W (1988) How finicky is mitochondrial protein import? **Trends Biochem. Sci.** 13, 165-167.
- R-8 Pfanner N, Hartl FU, Neupert W (1988) Protein transport into mitochondria: a multi-step process. In **"Hormones and Cell Regulation"** (Nunez J, Dumont JE, Carafoli E, eds.), John Libbey Eurotext Ltd., Montrouge, France, Vol. 165, 63-69.
- R-9 Pfanner N, Hartl FU, Neupert W (1988) Resolution of distinct steps in mitochondrial protein import. In **"Molecular Biology of Intracellular Protein Sorting and Organelle Assembly"** (Bradshaw RA, McAlister-Henn L, Douglas MG, eds.), UCLA-Symposia on Molecular and Cellular Biology, New Series, Vol. 76, 127-132.
- R-10 Hartl FU, Pfanner N, Nicholson DW, Neupert W (1989) Mitochondrial protein import. **Biochim. Biophys. Acta** 988, 1-45.
- R-11 Pfanner N, Neupert W (1989) Transport of proteins into mitochondria. **Curr. Opin Cell Biol.** 1, 624-629.
- R-12 Pfanner N, Neupert W (1990) Mitochondrial protein import: specific recognition and membrane insertion of precursor proteins. **Curr. Top. Membr. Transp.** 36, 3-14.
- R-13 Pfanner N, Neupert W (1990) The mitochondrial protein import apparatus. **Annu. Rev. Biochem.** 59, 331-353.
- R-14 Pfanner N (1990). Mitochondrial protein import: unfolding and refolding of precursor proteins. In **"Stress Proteins. Induction and Function"** (Schlesinger MJ, Santoro MG, Garaci E, eds.), Springer Verlag, Berlin, pp. 71-79.
- R-15 Pfanner N, Neupert W (1990) A mitochondrial machinery for membrane translocation of precursor proteins. **Biochem. Soc. Trans.** 18, 513-515.

- R-16 Pfanner N, Rassow J, Wienhues U, Hergersberg C, Söllner T, Becker K, Neupert W (1990) Contact sites between inner and outer membranes: structure and role in protein translocation into the mitochondria. **Biochim. Biophys. Acta** 1018, 239-242.
- R-17 Pfanner N, Ostermann J, Rassow J, Hartl FU, Neupert W (1990) Stress proteins and mitochondrial protein import. **Antonie van Leeuwenhoek Int. J. Gen. Mol. Microbiol.** 58, 191-193.
- R-18 Neupert W, Hartl FU, Craig EA, Pfanner N (1990) How do polypeptides cross the mitochondrial membranes? **Cell** 63, 447-450.
- R-19 Schneider H, Söllner T, Trülzsch B, Pfanner N, Neupert W (1990) Molecular mechanism of protein transport into mitochondria. In **"Genetics of Respiratory Enzymes in Yeasts"** (Lachowicz TM, ed.), Wroclaw University Press, Wroclaw, Poland, pp. 91-95.
- R-20 Pfanner N, Söllner T, Neupert W (1991) Mitochondrial import receptors for precursor proteins. **Trends Biochem. Sci.** 16, 63-67.
- R-21 Pfanner N (1991) Role of heat shock proteins in mitochondrial protein import. In **"Heat Shock"** (Maresca B, Lindquist S, eds.), Springer-Verlag, Berlin, pp. 175-180.
- R-22 Söllner T, Rassow J, Pfanner N (1991) Analysis of mitochondrial protein import using translocation intermediates and specific antibodies. **Methods Cell Biol.** 34, 345-358.
- R-23 Pfanner N (1992) Components and mechanisms in mitochondrial protein import. **Plant gene res.** 7 ("Cell Organelles", Herrmann RG, ed.) Springer-Verlag, Wien, pp. 371-400.
- R-24 Keil P, Schloßmann J, Pfanner N (1992) Targeting and translocation of mitochondrial precursor proteins. **Antonie van Leeuwenhoek Int. J. Gen. Mol. Microbiol.** 61, 135-142.
- R-25 Rassow J, Voos W, Pfanner N (1992) Translocation of preproteins across the mitochondrial membranes. In **"Developments in Biochemistry, Vol. 29: Molecular Mechanisms of Transport"** (Quagliariello E, Palmieri F, eds.), Elsevier Science Publishers B.V., Amsterdam, pp. 233-240.
- R-26 Zara V, Pfanner N, Palmieri F (1992) Transport of the mammalian phosphate carrier into mitochondria. In **"Developments in Biochemistry, Vol. 29: Molecular Mechanisms of Transport"** (Quagliariello E, Palmieri F, eds.), Elsevier Science Publishers B.V., Amsterdam, pp. 249-256.
- R-27 Pfanner N, Weinzierl A (1992) Mechanisms of mitochondrial protein import. **Int. J. Biochem.** 24, 65-69.
- R-28 Pfanner N, Rassow J, van der Klei IJ, Neupert W (1992) A dynamic model of the mitochondrial protein import machinery. **Cell** 68, 999-1002.
- R-29 Neupert W, Pfanner N (1993) Roles of molecular chaperones in protein targeting to mitochondria. **Phil. Trans. R. Soc. Lond. B.** 339, 355-362.
- R-30 Kiebler M, Becker K, Pfanner N, Neupert W (1993) Mitochondrial protein import: specific recognition and membrane translocation of preproteins. **J. Membr. Biol.** 135, 191-207.
- R-31 Voos W, Moczko M, Pfanner N (1994) Targeting, translocation and folding of mitochondrial preproteins. In **"Mitochondria: DNA, Proteins and Disease"** (Darley-Usmar V, Schapira AHV, eds.), Portland Press, London, pp. 55-80.
- R-32 Pfanner N, Craig EA, Meijer M (1994) The protein import machinery of the mitochondrial inner membrane. **Trends Biochem. Sci.** 19, 368-372.
- R-33 Rassow J, Pfanner N (1995) Molecular chaperones and intracellular protein translocation. **Rev. Physiol. Biochem. Pharmacol.** 126, 199-264.

- R-34 Kübrich M, Dietmeier K, Pfanner N (1995) Genetic and biochemical dissection of the mitochondrial protein-import machinery. **Curr. Genet.** 27, 393-403.
- R-35 Pfanner N, Meijer M (1995) Protein sorting: pulling in the proteins. **Curr. Biol.** 5, 132-135.
- R-36 Rassow J, Voos W, Pfanner N (1995) Partner proteins determine multiple functions of Hsp70. **Trends Cell Biol.** 5, 207-212.
- R-37 Rassow J, Pfanner N (1995) The motor of mitochondrial protein import: a mitochondrial analog of the Sec63p-Kar2p system. In **"Progress in Cell Research, Vol. 5"** (Palmieri F, Papa S, Saccone C, Gadaleta MN, eds.), Elsevier Science B.V., Amsterdam, pp. 113-118.
- R-38 Alconada A, Gärtner F, Hönlinger A, Kübrich M, Pfanner N (1995) Mitochondrial receptor complex from *Neurospora crassa* and *Saccharomyces cerevisiae*. **Methods Enzymol.** 260, 263-286.
- R-39 Craig EA, Gambill BD, Voos W, Pfanner N (1995) The role of molecular chaperones in transport of proteins across membranes. In **"Membrane Protein Transport"** (Rothman S, ed.), JAI Press Inc., Greenwich, Connecticut, Vol. 2, pp. 1-28.
- R-40 Pfanner N, Douglas MG, Endo T, Hoogenraad NJ, Jensen RE, Meijer M, Neupert W, Schatz G, Schmitz UK, Shore GC (1996) Uniform nomenclature for the protein transport machinery of the mitochondrial membranes. **Trends Biochem. Sci.** 21, 51-52.
- R-41 Rassow J, Pfanner N (1996) Protein biogenesis: chaperones for nascent polypeptides. **Curr. Biol.** 6, 115-118.
- R-42 Keil P, Hönlinger A, Pfanner N (1996) Targeting and translocation of preproteins by the Toms of the mitochondrial receptor complex. **Adv. Mol. Cell Biol.** 17, 81-102.
- R-43 Meijer M, Maarse A, Kübrich M, Pfanner N (1996) Translocation of preproteins across the mitochondrial inner membrane: Tims and Hsp70. **Adv. Mol. Cell Biol.** 17, 127-148.
- R-44 Rassow J, von Ahsen O, Bömer U, Pfanner N (1997) Molecular chaperones: towards a characterization of the heat-shock protein 70 family. **Trends Cell Biol.** 7, 129-133.
- R-45 Pfanner N, Meijer M (1997) Mitochondrial biogenesis: the Tom and Tim machine. **Curr. Biol.** 7, R100-R103
- R-46 Pfanner N, Craig EA, Hönlinger A (1997) Mitochondrial preprotein translocase. **Annu. Rev. Cell Dev. Biol.** 13, 25-51.
- R-47 Ryan MT, Pfanner N (1998) The preprotein translocase of the mitochondrial outer membrane. **Biol. Chem.** 379, 289-294.
- R-48 Pfanner N (1998) Mitochondrial import: crossing the aqueous intermembrane space. **Curr. Biol.** 8, R262-R265.
- R-49 Dekker PJT, Pfanner N, Rassow J (1998) Il folding delle proteine all'interno della cellula (the folding of proteins inside the cell). **Frontiere della vita** (Clementi F, Borgese N, De Camilli P, eds.), **Enciclopedia Italiana**, Rome, Vol. II, 13-30.
- R-50 Dekker PJT, Pfanner N (1999) The role of molecular chaperones in transport and folding of mitochondrial proteins. **Molecular Chaperones and Folding Catalysts** (Bukau B, ed.), Harwood Acad. Publ., Amsterdam, pp. 235-262.
- R-51 Voos W, Martin H, Krimmer T, Pfanner N (1999) Mechanisms of protein translocation into mitochondria. **Biochim. Biophys. Acta** 1422, 235-254.
- R-52 Pfanner N (1999) Protein folding: who chaperones nascent chains in bacteria? **Curr. Biol.** 9, R720-R724.

- R-53 Truscott KN, Pfanner N (1999) Import of carrier proteins into mitochondria. **Biol. Chem.** 380, 1151-1156.
- R-54 Meisinger C, Brix J, Model K, Pfanner N, Ryan MT (1999) The preprotein translocase of the outer mitochondrial membrane: receptors and a general import pore. **Cell. Mol. Life Sci.** 56, 817-824.
- R-55 Ryan MT, Wagner R, Pfanner N (2000) The transport machinery for the import of preproteins across the outer mitochondrial membrane. **Int. J. Biochem. Cell Biol.** 32, 13-21.
- R-56 Geissler A, Pfanner N, Truscott K (2000) Protein translocation into the mitochondrial matrix and inner membrane. **Protein, Lipid and Membrane Traffic: Pathways and Targeting**, Nato Science Series A: Life Sciences Vol. 322 (Op den Kamp JAF, ed.), IOS Press, Amsterdam, pp. 161-173.
- R-57 Rassow J, Pfanner N (2000) The protein import machinery of the mitochondrial membranes. **Traffic** 1, 457-464.
- R-58 Strub A, Lim JH, Pfanner N, Voos W (2000) The mitochondrial protein import motor. **Biol. Chem.** 381, 943-949.
- R-59 Pfanner N (2000) Protein sorting: recognizing mitochondrial presequences. **Curr. Biol.** 10, R412-R415.
- R-60 Matouschek A, Pfanner N, Voos W (2000) Protein unfolding by mitochondria: the Hsp70 import motor. **EMBO Rep.** 1, 404-410.
- R-61 Voos W, Pfanner N (2001) The role of chaperone proteins in the import and assembly of proteins in mitochondria and chloroplasts. **Frontiers Mol. Biol.** 37, 61-89.
- R-62 Ryan MT, Voos W, Pfanner N (2001) Assaying protein import into mitochondria. **Methods Cell Biol.** 65, 189-215.
- R-63 Truscott KN, Pfanner N, Voos W (2001) Transport of proteins into mitochondria. **Rev. Physiol. Biochem. Pharmacol.** 143, 81-136.
- R-64 Pfanner N, Geissler A (2001) Versatility of the mitochondrial protein import machinery. **Nat. Rev. Mol. Cell Biol.** 2, 339-349.
- R-65 Krimmer T, Geissler A, Pfanner N, Rassow J (2001) Sorting of preproteins into mitochondria. **ChemBioChem** 2, 505-512.
- R-66 Ryan MT, Pfanner N (2001) Protein translocation across membranes. **Encyclopedia of Life Sciences**, Nature Publ. Group, Macmillan Publ. Ltd. Reg. No. 785998, www.els.net.
- R-67 Lind M, Pfanner N, Rehling P (2001) The mitochondrial preprotein translocase complexes, TOM and TIM. **Protein Modules in Cellular Signalling**. Nato Science Series A: Life Sciences Vol. 318 (Heilmeyer L, Friedrich P, eds.), IOS Press, Amsterdam, pp. 276-287.
- R-68 Rehling P, Wiedemann N, Pfanner N, Truscott KN (2001) The mitochondrial import machinery for preproteins. **Crit. Rev. Biochem. Mol. Biol.** 36, 291-336.
- R-69 Ryan MT, Pfanner N (2001) Hsp70 proteins in protein translocation. **Adv. Protein Chem.** 59, 223-242.
- R-70 Pfanner N, Truscott KN (2002). Powering mitochondrial protein import. **Nat. Struct. Biol.** 9, 234-236.
- R-71 Pfanner N, Chacinska A (2002) The mitochondrial import machinery: preprotein-conducting channels with binding sites for presequences. **Biochim. Biophys. Acta** 1592, 15-24.

- R-72 Prinz T, Pfanner N, Truscott KN (2002) Translocation of proteins into mitochondria. **Protein Targeting, Transport & Translocation** (Dalbey R, von Heijne, G., eds.), Academic Press - Elsevier Science Ltd., Amsterdam, pp. 214-239.
- R-73 Chacinska A, Pfanner N, Meisinger C (2002) How mitochondria import hydrophilic and hydrophobic proteins. **Trends Cell Biol.** 12, 299-303.
- R-74 Pfanner N, Wiedemann N (2002) Mitochondrial protein import: two membranes, three translocases. **Curr. Opin. Cell Biol.** 14, 400-411.
- R-75 Rehling P, Pfanner N, Meisinger C (2003) Insertion of hydrophobic membrane proteins into the inner mitochondrial membrane – a guided tour. **J. Mol. Biol.** 326, 639-657.
- R-76 Truscott KN, Brandner K, Pfanner N (2003) Mechanisms of protein import into mitochondria. **Curr. Biol.** 13, R326-R337.
- R-77 Wiedemann N, Frazier AE, Pfanner N (2004) The protein import machinery of mitochondria. **J. Biol. Chem.** 279, 14473-14476.
- R-78 Rehling P, Brandner K, Pfanner N (2004) Mitochondrial import and the twin-pore translocase. **Nat. Rev. Mol. Cell Biol.** 5, 519-530.
- R-79 Taylor RD, Pfanner N (2004) The protein import and assembly machinery of the mitochondrial outer membrane. **Biochim. Biophys. Acta** 1658, 37-43.
- R-80 Pfanner N, Wiedemann N, Meisinger C, Lithgow T (2004) Assembling the mitochondrial outer membrane. **Nat. Struct. Mol. Biol.** 11, 1044-1048.
- R-81 Pfanner N, Wiedemann N, Meisinger C (2004) Cell biology: double membrane fusion. **Science** 305, 1723-1724.
- R-82 Voos W, Pfanner N (2005) The chaperone system of mitochondria. **Protein Folding Handbook**, Part II (Buchner J, Kiefhaber T, eds.), Wiley-VCH, Weinheim, pp. 1020-1046.
- R-83 Meisinger C, Pfanner N, Truscott KN (2006) Isolation of yeast mitochondria. **Methods Mol. Biol.** 313, 33-39.
- R-84 Wiedemann N, Pfanner N, Rehling P (2006) Import of precursor proteins into isolated yeast mitochondria. **Methods Mol. Biol.** 313, 373-383.
- R-85 Wiedemann N, Pfanner N, Chacinska A (2006) Chaperoning through the mitochondrial intermembrane space. **Mol. Cell** 21, 145-148.
- R-86 Stojanovski D, Rissler M, Pfanner N, Meisinger C (2006) Mitochondrial morphology and protein import – a tight connection? **Biochim. Biophys. Acta** 1763, 414-421.
- R-87 Stojanovski D, Pfanner N, Wiedemann N (2007) Import of proteins into mitochondria. **Methods Cell Biol.** 80, 783-806.
- R-88 Gabriel K, Pfanner N (2007) The mitochondrial machinery for import of precursor proteins. **Methods Mol. Biol.** 390, 99-118.
- R-89 Bohnert M, Pfanner N, van der Laan M (2007) A dynamic machinery for import of mitochondrial precursor proteins. **FEBS Lett.** 581, 2802-2810.
- R-90 Milenkovic D, Müller J, Stojanovski D, Pfanner N, Chacinska A (2007) Diverse mechanisms and machineries for import of mitochondrial proteins. **Biol. Chem.** 388, 891-897.
- R-91 Kutik S, Guiard B, Meyer HE, Wiedemann N, Pfanner N (2007) Cooperation of translocase complexes in mitochondrial protein import. **J. Cell Biol.** 179, 585-591.
- R-92 Pfanner N (2007) Q & A: Nikolaus Pfanner. **Curr. Biol.** 17, R820-R822.
- R-93 Stojanovski D, Müller JM, Milenkovic D, Guiard B, Pfanner N, Chacinska A (2008) The MIA system for protein import into the mitochondrial intermembrane space. **Biochim. Biophys. Acta** 1783, 610-617.

- R-94 Bolender N, Sickmann A, Wagner R, Meisinger C, Pfanner N (2008) Multiple pathways for sorting mitochondrial precursor proteins. **EMBO Rep.** 9, 42-49.
- R-95 Meisinger C, Sickmann A, Pfanner N (2008) The mitochondrial proteome: from inventory to function. **Cell** 134, 22-24.
- R-96 Kutik S, Stroud DA, Wiedemann N, Pfanner N (2009) Evolution of mitochondrial protein biogenesis. **Biochim. Biophys. Acta** 1790, 409-415.
- R-97 Becker T, Gebert M, Pfanner N, van der Laan M (2009) Biogenesis of mitochondrial membrane proteins. **Curr. Opin. Cell Biol.** 21, 484-493.
- R-98 Wiedemann N, Meisinger C, Pfanner N (2009) Cell biology: connecting organelles. **Science** 325, 403-404.
- R-99 Wiedemann N, van der Laan M, Pfanner N (2009) SnapShot: import and sorting of mitochondrial proteins. **Cell** 138, 808-808.e1.
- R-100 Chacinska A, Koehler CM, Milenkovic D, Lithgow T, Pfanner N (2009) Importing mitochondrial proteins: machineries and mechanisms. **Cell** 138, 628-644.
- R-101 Vögtle FN, Schmidt O, Chacinska A, Pfanner N, Meisinger C (2010) Native techniques for analysis of mitochondrial protein import. **Methods Mol. Biol.** 619, 425-436.
- R-102 Stroud DA, Meisinger C, Pfanner N, Wiedemann N (2010) Biochemistry: assembling the outer membrane. **Science** 328, 831-832.
- R-103 Schmidt O, Pfanner N, Meisinger C (2010) Mitochondrial protein import: from proteomics to functional mechanisms. **Nat. Rev. Mol. Cell Biol.** 11, 655-667.
- R-104 Gebert N, Ryan MT, Pfanner N, Wiedemann N, Stojanovski D (2011) Mitochondrial protein import machineries and lipids: a functional connection. **Biochim. Biophys. Acta** 1808, 1002-1011.
- R-105 Becker T, Böttlinger L, Pfanner N (2012) Mitochondrial protein import: from transport pathways to an integrated network. **Trends Biochem. Sci.** 37, 85-91.
- R-106 van der Laan M, Bohnert M, Wiedemann N, Pfanner N (2012) Role of MINOS in mitochondrial membrane architecture and biogenesis. **Trends Cell Biol.** 22, 185-192.
- R-107 Zerbes RM, van der Klei IJ, Veenhuis M, Pfanner N, van der Laan M, Bohnert M (2012) Mitofilin complexes: conserved organizers of mitochondrial membrane architecture. **Biol. Chem.** 393, 1247-1261.
- R-108 Wenz LS, Pfanner N, Becker T (2012) Mitochondriale Systeme für den Import von Proteinen. **BIOspektrum** 18, 706-709.
- R-109 Stojanovski D, Bohnert M, Pfanner N, van der Laan M (2012) Mechanisms of protein sorting in mitochondria. **Cold Spring Harb. Perspect. Biol.** 4, a011320.
- R-110 Wiedemann N, Stiller SB, Pfanner N (2013) Activation and degradation of mitofusins: two pathways regulate mitochondrial fusion by reversible ubiquitylation. **Mol. Cell** 49, 423-425.
- R-111 van der Laan M, Schrempp SG, Pfanner N (2013) Voltage-coupled conformational dynamics of mitochondrial protein import channel. **Nat. Struct. Mol. Biol.** 20, 915-917.
- R-112 Harbauer AB, Zahedi RP, Sickmann A, Pfanner N, Meisinger C (2014) The protein import machinery of mitochondria – a regulatory hub in metabolism, stress and disease. **Cell Metab.** 19, 357-372.

- R-113 Pfanner N, van der Laan M, Amati P, Capaldi RA, Caudy AA, Chacinska A, Darshi M, Deckers M, Hoppins S, Icho T, Jakobs S, Ji J, Kozjak-Pavlovic V, Meisinger C, Odgren PR, Park SK, Rehling P, Reichert AS, Sheikh MS, Taylor SS, Tsuchida N, van der Bliek AM, van der Klei IJ, Weissman JS, Westermann B, Zha J, Neupert W, Nunnari J (2014) Uniform nomenclature for the mitochondrial contact site and cristae organizing system. **J. Cell Biol.** 204,1083-1086.
- R-114 Opalinski, L., Becker, T., and Pfanner, N. (2014). Clearing tail-anchored proteins from mitochondria. **Proc. Natl. Acad. Sci. USA** 111, 7888-7889.
- R-115 Horvath, S.E., Rampelt, H., Oeljeklaus, S., Warscheid, B., van der Laan, M., and Pfanner, N. (2015). Role of membrane contact sites in protein import into mitochondria. **Protein Sci.** 24, 277-297.
- R-116 Bohnert, M., Pfanner, N., and van der Laan, M. (2015). Mitochondrial machineries for insertion of membrane proteins. **Curr. Opin. Struct. Biol.** 33, 92-102.
- R-117 van der Laan, M., Horvath, S.E., and Pfanner, N. (2016). Mitochondrial contact site and cristae organizing system. **Curr. Opin. Cell Biol.** 41, 33-42.
- R-118 Straub, S.P., Stiller, S.B., Wiedemann, N., and Pfanner, N. (2016). Dynamic organization of the mitochondrial protein import machinery. **Biol. Chem.** 397, 1097-1114.
- R-119 Rampelt H, Pfanner N (2016) Coordination of two genomes by mitochondrial translational plasticity. **Cell** 167, 308-310.
- R-120 Rampelt H, Zerbes RM, van der Laan M, Pfanner N (2017) Role of the mitochondrial contact site and cristae organizing system in membrane architecture and dynamics. **Biochim. Biophys. Acta** 1864, 737-746.
- R-121 Wiedemann N, Pfanner N (2017) Mitochondrial machineries for protein import and assembly. **Annu. Rev. Biochem.** 86, 685-714.
- R-122 Song J, Pfanner N, Becker T (2018) Assembling the mitochondrial ATP synthase. **Proc. Natl. Acad. Sci. USA** 115, 2850-2852.
- R-123 Pfanner N, Warscheid B, Wiedemann, N (2019) Mitochondrial proteins: from biogenesis to functional networks. **Nat. Rev. Mol. Cell Biol.** 20, 267-284. *Correction: Nat. Rev. Mol. Cell Biol.* 22, 367 (2021).
- R-124 Becker T, Song J, Pfanner N (2019) Versatility of preprotein transfer from the cytosol to mitochondria. **Trends Cell Biol.** 29, 534-548.
- R-125 Pfanner N, Zimmermann R, Hartl FU (2019) Walter Neupert (1939–2019). **Cell** 178, 1031-1033.
Reprinted in Mol. Cell 75, 661-663 (2019).
- R-126 Grevel A, Pfanner N, Becker T (2020) Coupling of import and assembly pathways in mitochondrial protein biogenesis. **Biol. Chem.** 401, 117-129.
- R-127 Priesnitz C, Pfanner N, Becker T (2020) Studying protein import into mitochondria. **Methods Cell Biol.** 155, 45-79.
- R-128 Colina-Tenorio L, Horten P, Pfanner N, Rampelt H (2020) Shaping the mitochondrial inner membrane in health and disease. **J. Intern. Med.** 287, 645-664.
- R-129 Rampelt H, Pfanner N (2021) Morpholinos meet mitochondria: targeting organellar gene expression. **Cell** 184, 5693-5695.
- R-130 Busch JD, Fielden LF, Pfanner N, Wiedemann N (2023) Mitochondrial protein transport: versatility of translocases and mechanisms. **Mol. Cell** 83, 890-910.

- R-131 den Brave F, Pfanner N, Becker T (2024) Mitochondrial entry gate as regulatory hub. **Biochim. Biophys. Acta** 1871, 119529.
- R-132 den Brave F, Schulte U, Fakler B, Pfanner N, Becker T (2024) Mitochondrial complexome and import network. **Trends Cell Biol.** 34, 578-594.
- R-133 Ganesan I, Busto JV, Pfanner N, Wiedemann N (2024) Biogenesis of mitochondrial β -barrel membrane proteins. **FEBS Open Bio** 14, 1595-1609.
- R-134 Ganesan I, Pfanner N, Wiedemann N (2024) Screen for temperature-sensitive mutants of non-essential yeast genes. **Methods Enzymol.** 707, 611-634.
- R-135 Pfanner N, den Brave F, Becker T (2025) Mitochondrial protein import stress. **Nat. Cell Biol.** 27, 188-201.

C. Dissertation, Habilitation

- C-1 Pfanner N (1985) Zur Rolle des Membranpotentials beim Import mitochondrialer Vorstufenproteine. **Dissertation**, Faculty of Medicine, University of Munich.
- C-2 Pfanner N (1990) Import kernkodierter Proteine in die Mitochondrien: Mechanismen der spezifischen Erkennung und Membrantranslokation von Vorstufenproteinen. **Habilitation**, Faculty of Medicine, University of Munich.