

LIST OF PUBLICATIONS

Research articles

- [1] Expansion of an n -point function as a sum of commutators
J. Math. Phys. **11** (1970) 3253–3257
- [2] Relations among invariants of circle actions on three-manifolds
Math. Annalen **195** (1972) 321–329
- [3] The Pontrjagin class of an orbit space
Topology **11** (1972) 253–264
- [4] Higher dimensional Dedekind sums
Math. Annalen **202** (1973) 149–172
- [5] Formes modulaires à une et deux variables
C.R. Acad. Sci. Paris (A) **279** (1974) 683–686
- [6] A Kronecker limit formula for real quadratic fields
Math. Annalen **213** (1975) 153–184
- [7] Nombres de classes et formes modulaires de poids $3/2$
C.R. Acad. Sci. Paris (A) **281** (1975) 883–886
- [8] Modular forms associated to real quadratic fields
Invent. Math. **30** (1975) 1–46
- [9] Nombres de classes et fractions continues
Journées Arithmétiques de Bordeaux, Astérisque **24–25** (1975) 81–97
- [10] On the values at negative integers of the zeta-function of a real quadratic field
L'Enseignement Mathématique **22** (1976) 55–95
- [11] (with F. Hirzebruch) Classification of Hilbert modular surfaces
in *Complex Analysis and Algebraic Geometry*, Iwanami Shoten & Cambridge Univ. Press, Tokyo (1977) 43–77
- [12] (with F. Hirzebruch) Intersection numbers of curves on Hilbert modular surfaces and modular forms of Nebentypus
Invent. Math. **36** (1976) 57–113
- [13] Traces des opérateurs de Hecke
Séminaire Delange–Pisot–Poitou 1975–1976, Exposé No. 23, 12 pages
reprinted (in English translation) as: The Eichler–Selberg trace formula on $SL_2(\mathbf{Z})$,
Appendix to S. Lang, *Introduction to Modular Forms*, Grundlehren d. math. Wiss. **222**, Springer-Verlag, Berlin–Heidelberg–New York (1976) 44–54
Correction in *Modular Forms of One Variable VI*, Lecture Notes in Math. **627**, Springer-Verlag, Berlin–Heidelberg–New York (1977) 171–173
- [14] Een ongelijkheid tegengesteld aan die van Cauchy
Proc. Koninkl. Ned. Akad. v. Wetensch. (Indag. Math.) **80** (1977) 349–351
- [15] Valeurs des fonctions zêta des corps quadratiques réels aux entiers négatifs
Journées Arithmétiques de Caen 1976, Astérisque **41–42** (1977) 135–151
- [16] Modular forms whose Fourier coefficients involve zeta-functions of quadratic fields
in *Modular Functions of One Variable VI*, Lecture Notes in Math. **627**, Springer-Verlag, Berlin–Heidelberg–New York (1977) 105–169

- [17] (with G. van der Geer) The Hilbert modular group for the field $\mathbf{Q}(\sqrt{13})$
Invent. math.**42** (1977) 93–133
- [18] (with S. Suter) Dilatationen von abelschen Gruppen
L'Enseignement Math. **24** (1978) 125–142
- [19] (with H. Stark) A property of L -functions on the real line
J. Number Theory**12** (1980) 49–52
- [20] (with A. Libgober and J. Wood) Congruences modulo powers of 2 for the signature of complete intersections
Quart. J. of Math.**31** (1980) 209–218
- [21] (with W. Kohnen) Values of L -series of modular forms at the center of the critical strip
Invent. Math. **64** (1980) 175–198
- [22] Sur la conjecture de Saito-Kurokawa (d'après H. Maass)
Séminaire de Théorie des Nombres, Paris 1979–1980 (Sém. Delange–Pisot–Poitou), Progr. in Math. **12**, Birkhäuser-Verlag, Boston–Basel–Stuttgart (1980) 372–394
- [23] (with B. Gross) On the critical values of Hecke L -series
in *Fonctions abéliennes et nombres transcendants*, D. Bertrand and M. Waldschmidt (eds.), Mémoire de la Soc. Math. de France **2** (1980) 49–54
- [24] Eisenstein series and the Riemann zeta function
in *Automorphic Forms, Representation Theory and Arithmetic*, Springer-Verlag, Berlin–Heidelberg–New York (1981) 275–301
- [25] Eisenstein series and the Selberg trace formula. I
in *Automorphic Forms, Representation Theory and Arithmetic*, Springer-Verlag, Berlin–Heidelberg–New York (1981) 303–355
- [26] (with G. Roland and N. Yui) A parametric family of quintic polynomials with Galois group D_5
J. Number Theory **15** (1982) 137–142
- [27] The Rankin–Selberg method for automorphic functions which are not of rapid decay
J. Fac. Sci. Tokyo **28** (1982) 415–438
- [28] (with M. Eichler) On the zeros of the Weierstrass $\wp$ -function
Math. Annalen **258** (1982) 399–407
- [29] On the number of Markoff numbers below a given bound
Math. Comp. **39** (1982) 709–733
- [30] On the decomposability of the Gini coefficient and other indices of inequality
J. Math. Econ. **12** (1983) 104–118
- [31] (with W. Kohnen) Modular forms with rational periods
in *Modular Forms*, R.A. Rankin (ed.), Ellis Horwood, Chichester (1984) 197–249
- [32] Asymptotics and congruence properties of the a_n
Appendix to M. Newman and D. Shanks, “On a sequence arising for series for π ”, Math. Comp. **42** (1984) 199–217 (appendix: pp. 212–216)
- [33] (with J. Buhler and B. Gross) On the conjecture of Birch and Swinnerton-Dyer for an elliptic curve of rank 3
Math. Comp. **44** (1985) 473–481

- [34] (with W. Neumann) A note on an invariant of Fintushel and Stern
in *Geometry and Topology (Proceedings, Univ. of Maryland 1983–1984)*, Lecture Notes in Math. **1167**, Springer-Verlag, Berlin–Heidelberg–New York (1985) 241–244
- [35] Modular points, modular curves, modular surfaces and modular forms
in *Arbeitstagung Bonn 1984*, Lecture Notes **1111**, Springer-Verlag, Berlin–Heidelberg–New York (1985) 225–248
- [36] Hyperbolic manifolds and special values of Dedekind zeta functions
Invent. Math. **83** (1986) 285–302
- [37] (with B. Gross) Singular moduli
J. reine Angew. Math. **355** (1985) 191–220
- [38] (with J. Lagarias and A. Odlyzko) On the capacity of disjointly shared networks
Computer Networks **10** (1985) 275–285
- [39] Modular parametrizations of elliptic curves
Can. Math. Bull. **28** (1984) 372–384
- [40] (with W. Neumann) Volumes of hyperbolic three-manifolds
Topology **24** (1985) 307–332
- [41] Volume of R_3
Appendix to M. Jankins and W. Neumann, “Rotation numbers of products of circle homeomorphisms”, Math. Ann. **271** (1985) 381–400 (appendix: pp. 398–400)
- [42] (with B. Gross) Heegner points and derivative of L -series
Invent. Math. **85** (1986) 225–320
- [43] (with J. Harer) The Euler characteristic of the moduli space of curves
Invent. Math. **85** (1986) 457–485
- [44] (with H. Jacquet) Eisenstein series and the Selberg trace formula. II
Trans. AMS **300** (1987) 1–48
- [45] Large integral points on elliptic curves
Math. Comp. **48** (1987) 425–436
Addendum in Math. Comp. **51** (1988) 375
- [46] (with B. Gross and W. Kohnen) Heegner points and derivatives of L -series. II
Math. Annalen **278** (1987) 497–562
- [47] Note on the Landweber–Stong elliptic genus
in *Elliptic Curves and Modular Forms in Algebraic Topology, Proceedings, Princeton 1986*, Lecture Notes **1326**, Springer-Verlag, Berlin–Heidelberg–New York (1988) 216–224
- [48] (with G. Kramarz) Numerical investigations related to the L -series of certain elliptic curves
J. Ind. Math. Soc. **52** (1987) 51–69
- [49] (with N. Skoruppa) A trace formula for Jacobi forms
J. reine Angew. Math. **393** (1989) 168–198
- [50] (with N. Skoruppa) Jacobi forms and a certain space of modular forms
Invent. Math. **94** (1988) 113–146
- [51] On an approximate identity of Ramanujan
Proc. Ind. Acad. Sci. **97** (1987) 313–324

- [52] Proof of the identity (28)
Appendix to H. Gillet and C. Soulé, “Analytic torsion and the arithmetic Todd genus”, *Topology* **30** (1991) 21–54 (appendix: pp. 48–52)
- [53] The Bloch–Wigner–Ramakrishnan polylogarithm function
Math. Annalen **286** (1990) 613–624
- [54] The Birch–Swinnerton-Dyer conjecture from a naive point of view
in *Arithmetic Algebraic Geometry* (G. v.d. Geer, F. Oort, J. Steenbrink, eds.), *Prog. in Math.* **89**, Birkhäuser, Boston (1990) 377–389
- [55] Polylogarithms, Dedekind zeta functions, and the algebraic K-theory of fields
in *Arithmetic Algebraic Geometry* (G. v.d. Geer, F. Oort, J. Steenbrink, eds.), *Prog. in Math.* **89**, Birkhäuser, Boston (1990) 391–430
- [56] A one-sentence proof that every prime $p \equiv 1 \pmod{4}$ is a sum of two squares
Amer. Math. Monthly **97** (1990) 144
- [57] Periods of modular forms and Jacobi theta functions
Invent. math. **104** (1991) 449–465
- [58] Hecke operators and periods of modular forms
Israel Math. Conf. Proc. **3** (1990) 321–336
- [59] (with J. Alexander) The entropy of a certain infinitely convolved Bernoulli measure
J. Lond. Math. Soc. **44** (1991) 121–134
- [60] (with Y.J. Choie) Rational period functions for $PSL(2, \mathbf{Z})$
in *A Tribute to Emil Grosswald: Number Theory and Related Analysis*, *Contemporary Mathematics*, **143**, AMS, Providence (1993) 89–107
- [61] Some strange 3-adic identities (Solution to Problem 6625)
Amer. Math. Monthly **99** (1992) 66–69
- [62] (with S. Gupta) On the coefficients of the minimal polynomials of Gaussian periods
Math. Comp. **60** (1993) 385–398
- [63] Realizability of a model in infinite statistics
Commun. Math. Phys. **147** (1992) 199–210
- [64] Special values and functional equations of polylogarithms
in *The Structural Properties of Polylogarithms*, ed. L. Lewin, *Mathematical Surveys and Monographs* **37**, AMS, Providence (1991) 377–400
- [65] (with H. Cohen and L. Lewin) A sixteenth-order polylogarithm ladder
Experimental Math. **1** (1992) 25–34
- [66] (with F. Rodriguez Villegas) Square roots of central values of Hecke L-series
in *Advances in Number Theory* (Proceedings of the Third Conference of the Canadian Number Theory Association), eds. F.Q. Gouvea and N. Yui, Oxford University Press (1993) 81–99
- [67] Algebraic numbers close to both 0 and 1
Math. Comp. **61** (1993) 485–491
- [68] Elementary aspects of the Verlinde formula and of the Harder-Narasimhan-Atiyah-Bott formula
Israel Mathematical Conference Proceedings **9** (1996) 445–462
- [69] Modular forms and differential operators
Proc. Ind. Acad. Sciences **104** (1994) 57–75

- [70] Values of zeta functions and their applications
in *First European Congress of Mathematics*, Volume II, Progress in Math. **120**, Birkhäuser-Verlag, Basel, (1994) 497–512
- [71] (with N. Yui) On the singular values of Weber modular functions
Math. Comp. **66** (1997) 1645–1662
- [72] (with J. Szmidt and J. Urbanowicz) Congruences among generalized Bernoulli numbers
Acta Arithmetica **71** (1995) 273–278
- [73] (with R. Hall and J. Wilson) Reciprocity formulae for general Dedekind-Rademacher sums
Acta Arithmetica **73** (1995) 389–396
- [74] On the distribution of the number of cycles of elements in symmetric groups
Nieuw Archief voor Wiskunde **13** (1995) 489–495
- [75] A converse to Cauchy’s inequality
American Mathematical Monthly, **102** (1995) 919–920
- [76] (with F. Rodriguez Villegas) Which primes are sums of two cubes?
in *Number Theory* (Proceedings of the Third Conference of the Canadian Number Theory Association), ed. K. Dilcher, CMS Conference Proceedings **15** (1995) 295–306
- [77] Cohomology of moduli spaces of stable rank two bundles over a curve
in *The Moduli Spaces of Curves* (R. Dijkgraaf, C. Faber, G. v.d. Geer, eds.), Prog. in Math. **129**, Birkhäuser, Boston (1995) 533–563
- [78] (with M. Kaneko) A generalized Jacobi theta function and quasimodular forms
in *The Moduli Spaces of Curves* (R. Dijkgraaf, C. Faber, G. v.d. Geer, eds.), Prog. in Math. **129**, Birkhäuser, Boston (1995) 165–172
- [79] (with P. Cohen and Y. Manin) Automorphic pseudodifferential operators
in *Algebraic Aspects of Integrable Systems: In Memory of Irene Dorfman*, Prog. in Nonlinear Differential Equations and their Applications **26**, Birkhäuser, Boston (1997) 17–47
- [80] (with R. Kaufmann and Yu. Manin) Higher Weil-Petersson volumes of moduli spaces of stable n -pointed curves
Commun. Math. Phys. **181** (1996) 763–787
- [81] A note on Reyes’s theorem about triangles
Nieuw Archief voor Wiskunde **14** (1996) 373–374
- [82] (with F. Beukers) Lower bounds of heights of points on hypersurfaces
Acta Arith. **79** (1997) 103–111
- [83] (with J. Lewis) Period functions and the Selberg zeta function for the modular group
in *The Mathematical Beauty of Physics, A Memorial Volume for Claude Itzykson*, (J.M. Drouffe and J.B. Zuber, eds.), Adv. Series in Mathematical Physics **24**, World Scientific, Singapore (1997) 83–97
- [84] (with M. Kaneko) Supersingular j -invariants, hypergeometric series, and Atkin’s orthogonal polynomials
in *Proceedings of the Conference on Computational Aspects of Number Theory*, AMS/IP Studies in Advanced Math. **7**, International Press, Cambridge (1997) 97–126
- [85] (with L. Goettsche) Jacobi forms and the structure of Donaldson invariants for 4-manifolds with $b_+ = 1$
Selecta Mathematica **4** (1998) 69–115

- [86] A modified Bernoulli number
Nieuw Archief voor Wiskunde **16** (1998) 63–72
- [87] A modular identity arising from mirror symmetry
in *Integrable Systems and Algebraic Geometry* (M.-H. Saito, Y. Shimizu, K. Ueno, eds.), Proceedings of the Taniguchi Symposium 1997, World Scientific, Singapore (1998) 477–480
- [88] From quadratic functions to modular functions
in *Number Theory in Progress. Vol 2* (K. Györy, H. Iwaniec and J. Urbanowicz, eds.), Proceedings of Internat. Conference on Number Theory, Zakopane 1997, de Gruyter, Berlin (1999) 1147–1178
- [89] (with H. Cohen and F. Rodriguez Villegas) Convergence acceleration of alternating series
Experimental Math. **9** (2000) 3–12
- [90] (with R. Lawrence) Modular forms and quantum invariants of 3-manifolds
Asian J. of Math. **3** (1999) 93–108
- [91] Vassiliev invariants and a strange identity related to the Dedekind eta-function
Topology **40** (2001) 945–960
- [92] (with M. Kontsevich) Periods.
In *Mathematics Unlimited—2001 and Beyond* (B. Engquist and W. Schmid, eds.), Springer, Berlin–Heidelberg–New York (2001), 771–808
Japanese translation: In *Suugaku no saisentan—21 seiki e no chousen, Vol. 1*, Springer, Tokyo (2002), 74–125
- [93] Traces of singular moduli
In “Motives, Polylogarithms and Hodge Theory” (Eds. F. Bogomolov, L. Katzarkov), Lecture Series **3**, International Press, Somerville (2002), 209–244
- [94] (with H. Gangl) Classical and elliptic polylogarithms and special values of L -series
In *The Arithmetic and Geometry of Algebraic Cycles*, Proceedings, 1998 CRM Summer School, Nato Science Series C, Vol. **548**, Kluwer, Dordrecht-Boston-London (2000) 561–615
- [95] (with J. Lewis) Period functions for Maass wave forms. I
Annals of Mathematics **153** (2001) 191–258
- [96] (with V. Fridkin and Y. Stroganov) Ground state of the quantum symmetric finite size XXZ spin chain with anisotropy parameter $\Delta = \frac{1}{2}$.
J. Phys. A **33** (2000) L121–L125
- [97] Polynomials arising from the tautological ring
Appendix to C. Faber and R. Pandharipande, “Logarithmic series and Hodge integrals in the tautological ring”, Mich. Math. J. **48** (2000) 215–252 (appendix: pp. 240–252)
- [98] (with F. Rodriguez Villegas and J. Voloch) Constructions of plane curves with many points
Acta Arithmetica **99** (2001) 85–96
- [99] A proof of the Kac-Wakimoto affine denominator formula for the strange series
Mathematical Research Letters **7** (2000) 597–604
- [100] (with E. Wirsing) Multiplicative functions with $\Delta f(n) \rightarrow 0$
Acta Arithmetica **C.1** (2001) 75–78
- [101] (with T. Sasamoto) On the existence of a phase transition for an exclusion process on a ring
J. Phys. A **34** (2001) 5033–5039

- [102] (with V. Fridkin and Y. Stroganov) Finite size XXZ spin chain with anisotropy parameter $\Delta = \frac{1}{2}$.
Proceedings of the Baxter Revolution in Mathematical Physics (Canberra, 2000)
J. Stat. Phys. **102** (2001) 781–794
- [103] (with Y. Ohno) Multiple zeta values of fixed weight, depth, and height
Indagationes mathematicae **12** (2001) 483–487
- [104] (with P. Kleban) Crossing probabilities and modular forms
J. Stat. Phys. **113** (2003), 431–454
- [105] Applications of the representation theory of finite groups
Appendix to S. Lando and A. Zvonkin, *Graphs on Surfaces and Their Applications*, Encycl. of Math. Sciences **141**, Springer-Verlag, Berlin Heidelberg (2004), 399–427
- [106] (with K. Ihara and M. Kaneko) Derivation and double shuffle relations for multiple zeta values
Compositio Math. **142** (2006), 307–338
- [107] (with T. Dokchitser and R. de Jeu) Numerical verification of Beilinson’s conjecture for K_2 of hyperelliptic curves
Compositio Math. **142** (2006), 339–373
- [108] (with H. Gangl and M. Kaneko) Double zeta values and modular forms
In *Automorphic Forms and Zeta Functions, Proceedings of the Conference in Memory of Tsuneo Arakawa*, S. Böcherer, T. Ibukiyama, M. Kaneko, F. Sato (eds.), World Scientific, New Jersey (2006), 71–106
- [109] The Mellin transform and other useful analytic techniques
Appendix to E. Zeidler, *Quantum Field Theory I: Basics in Mathematics and Physics. A Bridge Between Mathematicians and Physicists*, Springer-Verlag, Berlin-Heidelberg-New York (2006), 305–323
- [110] The dilogarithm function
In *Frontiers in Number Theory, Physics and Geometry II*, P. Cartier, B. Julia, P. Moussa, P. Vanhove (eds.), Springer-Verlag, Berlin-Heidelberg-New York (2006), 3–65
- [111] (with A. Connes) A geometric property of parallelograms inscribed in ellipses.
Amer. Math. Monthly **114** (2007), 909–914
- [112] The equivalence of the two sets of relations
Appendix to A. Kouvidakis and G. van der Geer, “Cycle relations on Jacobian varieties”, Compositio Math. **143** (2007), 900–908 (appendix: pp. 905–907)
- [113] A proof of (2.40)
Appendix to T. Eguchi, Y. Sugawara and A. Taormina “Liouville field, modular forms and elliptic genera”, J. of High Energy Physics **119** (2007), 1–20 (appendix: pp. 17–19)
- [114] Evaluation of $S(m, n)$
Appendix to M. Green, J. Russo and P. Vanhove, “Low energy expansion of the four-particle genus-one amplitude in type II superstring theory” J. of High Energy Physics (2008) 020, 33–34
- [115] (with K. Thas) Finite projective planes, Fermat curves and Gaussian periods
J. Eur. Math. Soc. **10** (2008) 173–190
- [116] (with L. Weng) Deligne products of line bundles over moduli spaces of curves.
Commun. Math. Physics **281** (2008), no. 3, 793–803

- [117] Exact and asymptotic formulas for v_n
Appendix to D. Grünberg and P. Moree, “Sequences of enumerative geometry: congruences and asymptotics”, *Experim. Math.* **17** (2008), 409–426 (Appendix: pp. 423–425)
- [118] (with A. Zinger) Some properties of hypergeometric series associated with mirror symmetry
In *Modular Forms and String Duality*, Fields Institute Communications Vol. 54 (2008), 163–177
- [119] Ramanujan’s mock theta functions and their applications [d’après Zwegers and Bringmann–Ono],
Seminaire Bourbaki, 60ème annee, 2007–2008, n° 986, *Astérisque* **326** (2009), Soc. Math. de France, 143–164
- [120] Elliptic modular forms and their applications
In *The 1–2–3 of Modular Forms: Lectures at a Summer School in Nordfjordeid, Norway* (= [10] of “Books”; ed. K. Ranestad), Universitext, Springer-Verlag, Berlin–Heidelberg–New York (2008), pp. 1–103
- [121] Integral solutions of Apéry-like recurrence equations
In *Groups and Symmetries: From the Neolithic Scots to John McKay*, CRM Proceedings and Lecture Notes, Vol. 47 (2009), Amer. Math. Society, 349–366
- [122] (with T. Dimofte, S. Gukov and J. Lenells) Exact results for perturbative Chern-Simons theory with complex gauge group
Communications in Number Theory and Physics **3** (2009), 363–443
- [123] On Harder’s $\mathrm{SL}(2, \mathbf{R})$ – $\mathrm{SL}(3, \mathbf{R})$ identity
Appendix to G. Harder, “Arithmetic aspects of rank one Eisenstein cohomology”, In *Cycles, Motives and Shimura Varieties*, V. Srinivas (ed.), Tata Institute (2010), 131–190 (appendix: pp. 191–195)
- [124] (with S. Wimmer-Zagier) Some questions and observations around the mathematics of Seki Takakazu
In *Seki, Founder of Modern Mathematics in Japan—A Commemoration on His Tercentenary*, E. Knobloch; H. Komatsu; Dun Liu (Eds.), Springer Proceedings in Mathematics and Statistics **39** (2013), 275–297
- [125] Section 4.2: Proof of the Harvey-Moore identity
Appendix to A. Klemm, D. Maulik, R. Pandharipande, E. Scheidegger, “Noether-Lefschetz theory and the Yau-Zaslow conjecture”, *J. Amer. Math. Soc.* **23** (2010), 1013–1040 (appendix: pp. 1037–1038)
- [126] Quantum modular forms
In *Quanta of Maths: Conference in honor of Alain Connes*, Clay Mathematics Proceedings **11**, AMS and Clay Mathematics Institute 2010, 659–675
- [127] (with Z.-W. Sun) On a curious property of Bell numbers
Bull. Aust. Math. Soc. **84** (2011), 153–158
- [128] A Family of Combinatorial Identities
Appendix to J. Borwein, A. Straub, J. Wan, W. Zudilin, “Densities of Short Uniform Random Walks”, *Canad. J. Math.* **64** (2012), 961–990 (appendix: pp. 987–989)
- [129] (with H. Cohen) Vanishing and non-vanishing theta values
Annales mathématiques du Québec **37** (2013), 45–61
- [130] (with M. Vlasenko) Higher Kronecker limit formulas for real quadratic fields
J. reine angew. Math. **679** (2013), 23–64

- [131] Evaluation of the multiple zeta values $\zeta(2, \dots, 2, 3, 2, \dots, 2)$
Annals of Math. **175** (2012), 977–1000
- [132] Asymptotics of the regular cube
Appendix to S. Garoufalidis and R. van der Veen, “Asymptotics of classical spin networks”, Geom. Topol. **17** (2013), 1–37 (appendix: pp. 28–33)
- [133] (with R. Bruggeman and J. Lewis) Function theory related to the group $\mathrm{PSL}(2, \mathbf{R})$.
in *From Fourier Analysis and Number Theory to Radon Transforms and Geometry. In memory of Leon Ehrenpreis*, Farkas, H.M.; Gunning, R.C.; Knopp, M.I.; Taylor, B.A. (Eds.), Springer, Developments in Mathematics, Vol. **28** (2013), 107–201
- [134] (with A. Malter and D. Schleicher) New looks at old number theory
Amer. Math. Monthly **120** (2013), 243–264
- [135] Appendix. Curious and exotic identities for Bernoulli numbers
In T. Arakawa, M. Kaneko and T. Ibukiyama, *Bernoulli Numbers and Zeta Functions*, Springer Monographs in Mathematics (2014), Springer Japan, xi + 274 pages (appendix: pp. 239–262)
- [136] Lines on the Dwork quintic pencil and its higher degree analogues
J. Differential Geometry **97** (2014), 177–189
- [137] Partitions, quasimodular forms, and the Bloch-Okounkov theorem
Ramanujan Journal **41** (2016), 345–368
- [138] (with M. Möller) Modular embeddings of Teichmüller curves
Compositio Mathematica **152** (2016), 2269–2349
- [139] (with V. Golyshev) Proof of the Gamma Conjecture for Fano 3-folds of Picard rank one
in Russian: Izvest. Russ. Acad. Sci., Math. Series **80** (2016), 27–54
in English: Izvest. Russ. Acad. Sci., Math. Series **80** (2016), 24–49
- [140] (with A. Popa) A combinatorial refinement of the Kronecker-Hurwitz class number relation
Proc. AMS **145** (2017), 1003–1008
- [141] Eigenvalues of the coprimality matrix
Appendix to G. Mussardo, G. Giudici and J. Viti, “The coprime quantum chain”, J. Stat. Mech. (2017) 1–68 (appendix: pp. 51–66)
- [142] (with A. Pixton) Combinatorial identity
Appendix to R. P. Thomas and R. Kool, “Stable pairs with descendents on local surfaces I: the vertical component”, Pure and Appl. Math. Quart. **13** (2017) 581–638 (appendix: pp. 635–636)
- [143] (with B. Dubrovin and D. Yang) Classical Hurwitz numbers and related combinatorics
Moscow Mathematical Journal **17** (2017) 601–633
- [144] (with J. Lewis) Cotangent sums, quantum modular forms, and the generalized Riemann hypothesis.
Res. Math. Sci. **87** (2018) 406–429
- [145] (with D. Chen and M. Möller) Quasimodularity and large genus limits of Siegel-Veech constants
J. Amer. Math. Soc. **31** (2018) 1059–1163
- [146] (with C. Dupont) An approach via series
Appendix to C. Dupont, “Odd zeta motive and linear forms in odd zeta values”, Compositio Math. **154** (2018) 342–379 (appendix: pp. 373–378)
- [147] (with A. Popa) An elementary proof of the Eichler-Selberg trace formula
J. reine Angew. Math. **762** (2018), 105–122

- [148] (with Y.J. Choie and Y-K. Park) Periods of modular forms on $\Gamma_0(N)$ and products of Jacobi theta functions
Journal of the European Mathematical Society **21** (2019), 1379–1410
- [149] (with M. Griffin, K. Ono, and L. Rolin) Jensen polynomials for the Riemann zeta function and other sequences.
Proc. Nat. Acad. Sci. **23** (2019), 11103–11110
- [150] (with V. Golyshev and D. van Straten), Dimensional interpolation and the Selberg integral.
Journal of Geometry and Physics **145** (2019) 103455, 7 pages
- [151] (with S. Garoufalidis) Asymptotics of Nahm sums at roots of unity
The Ramanujan Journal, to appear, 18 pages (published online July 2020) (arXiv:1812.07690)
- [152] (with L. Weng) Higher-rank zeta functions for elliptic curves
Proc. Nat. Acad. Sciences **117** (2020), 4546–4558
- [153] (with L. Weng) Higher-rank zeta functions and SL_n -zeta functions for curves
Proc. Nat. Acad. Sciences **117** (2020), 6398–6408
- [154] (with B. Dubrovin and D. Yang) Gromov–Witten invariants of the Riemann sphere
Pure and Applied Mathematics Quarterly **16** (2020), 153–190
- [155] (with D. Chen, M. Möller, and A. Sauvaget) Masur–Veech volumes and intersection theory on the moduli space of Abelian differentials.
Invent. Math. **222** (2020), 283–373 (arXiv:1901.01785)
- [156] (with F. Zerbini), Genus-zero and genus-one string amplitudes and special multiple zeta values.
Communications in Number Theory and Physics **14** (2020), 413–452
- [157] (with D. Yang and Y. Zhang) Masur–Veech volumes of quadratic differentials and their asymptotics
J. Geom. Phys. **158** (2020), 103870, 12 pp., arXiv:2005.02275
- [158] (with V. Golyshev), Interpolated Apéry numbers, quasiperiods of modular forms, and motivic gamma functions
In *Integrability, Quantization, and Geometry, Vol. II. Quantum theories and algebraic geometry*, I. Krichever, S. Novikov, O. Ogievetsky and S. Shlosman (Eds.), Proceedings Symp. Pure Math. **103.2**, Amer. Math. Soc., Providence, RI, (2021), 281–301
- [159] (with B. Dubrovin and D. Yang) On tau-functions for the KdV hierarchy
Selecta Math. (N.S.) **27** (2021), no. 1, Paper No. 12, 47 pages (arXiv:1812.08488)
- [160] (with L. Touzo and M. Marsili) Information thermodynamics of financial markets: the Glaston-Milgrom model
J. Stat. Mech. Theory Exp. **2021**, no. 3, Paper No. 033407, 21 pp. (arXiv:2010.01905)
- [161] Power partitions and a generalized eta transformation property.
Hardy-Ramanujan Journal **44** (2021), 1–18
- [162] (with F. Gonçalves) Strichartz estimates with broken symmetries
to appear in Revista Matemática Iberoamericana, (arXiv:2011.02187) Published Online - Print pending. DOI: 10.4171/RMI/1322, 11 pages
- [163] (with E. Garcia-Failde) A curious identity that implies Faber’s conjecture
Bulletin of the London Mathematical Society **54** (2022), 1839–1845. (arXiv:2101.02187)

- [164] (with F. Calegari and S. Garoufalidis) Bloch groups, algebraic K -theory, units, and Nahm's conjecture
To appear in Annales Scientifiques, 39 pages (arXiv:1712.04887 and arXiv:1812.07690) de l'École Normale Supérieure
- [165] (with D. Radchenko) Arithmetic properties of the Herglotz function.
J. reine angew. Math. **2023** 797 (2023), 229–253 (arXiv:2012.15805)
- [166] (with S. Garoufalidis) Hyperbolic 3-manifolds, the Bloch group, and the work of Walter Neumann.
Celebratio Mathematica 2023, 19 pages (arXiv:2304.12545)
- [167] (with N. Skoruppa and V. Gritsenko) Theta blocks.
Journal of the European Mathematical Society, to appear, 57 pages. (arXiv:1907.00188)
- [168] (with B. Dubrovin and D. Yang) Geometry and arithmetic of integrable hierarchies of KdV type.
I. Integrality.
Advances in Mathematics, to appear, 54 pages (arXiv:2101.10924)
- [169] (with S. Garoufalidis) Knots and their related q -series,
SIGMA **19** (2023), 39 pages (arXiv:2304.09377)
- [170] (with K. Nagatomo and Y. Sakai) Modular linear differential equations and generalized Rankin-Cohen brackets.
Trans. AMS, to appear, 34 pages (arXiv:2210.10686)
- [171] (with K. Bönisch A. Klemm, and E. Scheidegger) D-brane masses at special fibres of hypergeometric families of Calabi-Yau threefolds, modular forms and periods
Communications in Mathematical Physics, to appear, 71 pages (arXiv:2203.09426)
- [172] (with S. Garoufalidis) Knots, perturbative series, and quantum modularity
SIGMA, to appear, 100 pages (arXiv:2111.06645)

Other articles (announcements, expository, recreational)

- [1] Une formule-limite de Kronecker pour les corps quadratiques réels
Sém. de Théorie de Nombres, Bordeaux 1973–74, Exposé No. 21, 5 pages
- [2] The first 50 million prime numbers [=English translation of Monograph 5 below]
New Mathematical Intelligencer **0** (1977) 1–19
Russian translation: *Pervie 50 millionov prostikh chisel*, Uspekhi Mat. Nauk **39** (1984) 175–190
Japanese translation: *Saisho no gosemman no sosuu*, Suugaku Seminaru **24** (1985) 38–48
Spanish translation: *Los Primeros 50 Milliones de Números Primos*, ??
- [3] (with Joe Harris) Problem
Math. Intell. **2**(2), 107 (1979)
- [4] A simple proof of the prime number theorem [in Chinese]
Shue Xue Yi Lin **1** (1982) 259–262
- [5] What are modular forms? [in Chinese]
Shue Xue Yi Lin **1** (1982) 329–335
- [6] Lösungen von Gleichungen in ganzen Zahlen
in *Miscellanea mathematica*, Springer-Verlag (1991) 311–326

- [7] (with B. Gross) Points de Heegner et dérivées des fonctions
C.R. Acad. Sci. Paris (I) **297** (1983) 85–87
- [8] L -series of elliptic curves, the Birch–Swinnerton-Dyer conjecture, and the class number problem of Gauss
Notices AMS **31** (1984) 739–743
- [9] L -series and the Green’s functions of modular curves
Proc. Internat. Congress of Math. 1986, A.M.S. (1987) 689–698
- [10] The remarkable dilogarithm
J. Math. and Phys. Sciences **22** (1988) 131–145
reprinted as: The dilogarithm function in geometry and number theory
in *Number Theory and Related Topics, papers presented at the Ramanujan Colloquium, Bombay 1988*, Tata and Oxford (1989) 231–249
- [11] Primzahlen: Theorie und Anwendung
Rheinisch-Westfälische Akad. Wiss. Vorträge No. **370**, West-deutscher Verlag (1989) Opladen, 35–47
- [12] Elliptische Kurven: Fortschritte und Anwendungen
Jahreber. d. Dt. Math.-Verein. **92** (1990) 58–76
- [13] How often should you beat your kids?
Math. Magazine **63** (1990) 89–92
- [14] English-Japanese dictionary for mathematical terminology
Japan Intelligencer, Springer-Verlag (1990) 74–77
- [15] Introduction to modular forms
in *From Number Theory to Physics*, eds. M. Waldschmidt et al, Springer-Verlag, Heidelberg (1992) 238–291
- [16] (with J.-F. Mestre, R. Schoof and L. Washington) Quotients homophones des groupes libres/Homophonic quotients of free groups
Experimental Math. **2** (1993) 153–155
- [17] Periods of modular forms, traces of Hecke operators, and multiple zeta values
in *Hokei-keishiki to L-kansuu no kenkyuu* (= Research on Automorphic Forms and L-Functions), RIMS Kokyuroku **843** (1993) 162–170
- [18] Two results in number theory with elementary aspects
in *Daisuuteki suuron—Saikin no shinten to sono haikei* (= Algebraic Number Theory: Recent Developments and Their Backgrounds), RIMS Kokyuroku **844** (1993) 84–86
- [19] Oplossingen van vergelijkingen in rationale getallen
in *De Laatste Stelling van Fermat*, Universiteit Utrecht (1993) 8 pages
and in *Speeluin van de Wiskunde*, B. de Smit and J. Top (eds.), Veen Magazines/Natuurwetenschap en Techniek, Diemen (2003), 105–112
- [20] Quelques conséquences surprenantes de la cohomologie de $SL(2, \mathbf{Z})$
in *Leçons de Mathématiques d’aujourd’hui*, Cassini, Paris (2000), 99–123
- [21] Improved zeta values and unproved formulas
in Proceedings, Workshop on Polylogarithms, Essen (1997) 24–25
- [22] Some problems related to polylogarithms
in Proceedings, Workshop on Polylogarithms, Essen (1997) 51–54

- [23] Newman’s short proof of the prime number theorem
Amer. Math. Monthly **104** (1997) 705–708
- [24] (with H. Cohen) Number theory
Accepted by the *Enciclopedia del Novecento* (1997?), 25 pages; never appeared
- [25] Leçon inaugurale, Chaire de Théorie des Nombres
Collège de France, Publication No. 161 (2002), 1–35
- [26] New points of view on the Selberg zeta function
Proceedings of the Japanese-German Seminar “Explicit Structures of Modular Forms and Zeta Functions”, Ryushi-do (2002), 1–10
- [27] Summen von Quadratzahlen, Summen von Kubikzahlen
Jahrbuch 2001 der Deutschen Akademie der Naturforscher Leopoldina, Leopoldina **47** (2002) 407–413
- [28] (with G. Harder) La conjecture de Birch et Swinnerton-Dyer : nombre magique pour problème elliptique
Les Dossiers de La Recherche, **20**, (2005), 48–53
- [29] Ramanujan à Hardy : de la première à la dernière lettre
Hors-série No. 25, *Grands mathématiciens modernes*, Tangente (2006), 16–19.
Reprinted in Bibliothèque Tangente, *Grands mathématiciens modernes*, Éditions Pole, Paris (2006), 60–65.
Short popularized version of 36 below
- [30] Ramanujan an Hardy: vom ersten bis zum letzten Brief
Jahresbericht of the Mathematisches Forschungsinstitut Oberwolfach (2008), 27–42 [German translation of the preceding, together with the French original]
Reprinted in Mitteilungen der Deutschen Mathematiker-Vereinigung 18 (2010), 21–28
- [31] Une passion pour les mathématiques
in *Mathématiques, un dépaysement soudain*, Ed. Fondation Cartier pour l’art contemporain, Paris (2011), 90–97
English translation: A passion for mathematics
in *Mathematics—A Beautiful Elsewhere*, Ed. Fondation Cartier pour l’art contemporain, Paris (2011), 90–97
- [32] (with M.F. Atiyah) Friedrich Hirzebruch (1927–2012)
Notices Amer. Math. Soc. **61** (2014), 706–727
- [33] A refinement of a theorem of J. E. Littlewood
Amer. Math. Monthly **121** (2014), 618
- [34] Nachruf auf Friedrich Hirzebruch
Jahrbuch der Nordrhein-Westfälischen Akademie der Wissenschaften und der Künste (2014), 116–121
- [35] Life and work of Friedrich Hirzebruch
Jahresbericht der DMV **117** (2015), pp. 93–132
- [36] The arithmetic and topology of differential equations
in *Proceedings of the European Congress of Mathematics, Berlin, 18–22 July, 2016*, Mehrmann, V.; Skutella, M. (Eds.), European Mathematical Society (2018), 717–776

- [37] (with A. Pohl) Dynamics of geodesics and Maass cusp forms
Enseign. Math. **66** 3–4 (2020), 305–340

Books

- [1] *Equivariant Pontrjagin Classes and Applications to Orbit Spaces*
Lecture Notes **290**, Springer-Verlag, Berlin-Heidelberg-New York (1972), 130+x pages
- [2] (with F. Hirzebruch) *The Atiyah-Singer Theorem and Elementary Number Theory*
Math. Lecture Series **1**, Publish or Perish, Boston (1974), 262+xii pages
- [3] (co-editor with J-P. Serre) *Modular functions of One Variable V*
Lecture Notes **601**, Springer-Verlag, Berlin-Heidelberg-New York (1977), 294+vi pages
- [4] (co-editor with J-P. Serre) *Modular functions of One Variable VI*
Lecture Notes **627**, Springer-Verlag, Berlin-Heidelberg-New York (1977), 339+vi pages
- [5] *Die ersten 50 Millionen Primzahlen*
Elemente der Mathematik, Beiheft **15**, Birkhäuser-Verlag, Basel (1977), 24 pages
- [6] (with W. Borho, J. Rohlf, H. Kraft and J.-C. Jantzen) *Lebendige Zahlen*
Mathematische Miniaturen **1**, Birkhäuser-Verlag, Boston-Basel (1981), 135 pages [my contribution, an updated version of the preceding, is on pp. 39–73]
Russian translation: *Zhivye Chisla*, Mir, Moscow (1985), 128 pages [my contribution: pp. 42–72]
Bulgarian translation: *Zhivy Chisla*, Nauka i Izkustvo, Sofia (1987), 127 pages [my contribution: pp. 44–72]
- [7] *Zetafunktionen und quadratische Körper: eine Einführung in die höhere Zahlentheorie*
Hochschultext, Springer-Verlag, Berlin-Heidelberg-New York (1981), 149+vi pages
Japanese translation: *Suuron Nyuumon—zeta-kansuu to nijitai*, Iwanami Shoten, Tokyo (1990), 174 pages
- [8] (with M. Eichler) *The Theory of Jacobi Forms*
Progress in Math. **55**, Birkhäuser-Verlag, Basel-Boston (1985), 148 pages
- [9] *Hokei-keishiki-ron no wadai kara* (=Topics in the Theory of Automorphic Forms)
[lecture notes, in Japanese, by M. Kaneko]
Mathematical lecture note series, Kyushu University (1992), 80 pages
- [10] (with J. Bruinier, G. Harder and G. van der Geer) *The 1–2–3 of Modular Forms: Lectures at a Summer School in Nordfjordeid, Norway* (ed. K. Ranestad)
Universitext, Springer-Verlag, Berlin-Heidelberg-New York (2008), 280 pages [my contribution: pp. 1–103]
- [11] (with R. Bruggeman and J. Lewis) *Period functions for Maass forms and cohomology*
Memoirs of the AMS, Vol. **237**, No. 1118 (2015), xii + 132 pages
- [12] (co-editor with J. Schwermer and S. Wimmer-Zagier) *Friedrich Hirzebruch Gesammelte Abhandlungen/Collected Papers, Band III 1988–2012*
Springer Nature Switzerland (2019), xvi + 659 pages
- [13] (with Atish Dabholkar and Sameer Murthy) *Quantum Black Holes, Wall Crossing, and Mock Modular Forms*
arXiv:1208.4074, to appear in Cambridge Monographs in Mathematical Physics, 314 pages

Preprints

- [1] Proof of Proposition 1
Appendix to C. Joyner and U. Smilansky, “Dyson’s Brownian-motion model for random matrix theory—revisited”, 15 pages (appendix: pp. 12–14), arXiv:1503.06417
- [2] On the values of the function $F_{k,\varepsilon}(s)$
Appendix to S. Goette and J. Nordström, “Nu-invariants of extra-twisted connected sums”, 68 pages (appendix: pp. 63–67), arXiv:2010.16367
- [3] (with O. Lechtenfeld) Computing the potential
Appendix to O. Lechtenfeld, “A hyperbolic Kac-Moody Calogero model”, 26 pages (appendix: pp. 20–24), arXiv:2203.06519,
- [4] (with T. Ibukiyama) Higher spherical polynomials
Under revision, current length 221 pages
- [5] (with F. Cléry, E. Ferapontov, and A. Odesskii)
Integrable Lagrangians and Picard modular forms. 43 pages
- [6] (with J. Guo, P. Norbury and D. Yang)
Combinatorics and large genus asymptotics of the Brézin-Gross-Witten numbers. 39 pages
- [7] On the $\mathbf{S}_n$ -equivariant top weightr Euler characteristic of $\mathcal{M}_{g,n}$
Appendix to M. Borinsky, “On the Euler characteristic of the commutative graph complex and the top weight cohomology of $\mathcal{M}_g$ ”, 30 pages (appendix: pp. 27–29), arXiv:2405.04190